




Designer & Manufacturer of hospital furniture since 1947



Expert in mobile and modular furniture, Villard is one of France's leading companies in the design, manufacture and distribution of medical equipment and furniture for healthcare institutions. Based in its new 7,000m² factory in Neuville/Sarthe (Le Mans) since 2017, Villard promotes reliable and sustainable "French manufacturing", without intermediaries.

For over 70 years, Villard has continued to develop and adapt in order to reflect the evolution in hospitals, clinics and retirement homes as closely as possible, as well as to improve the working conditions of caregivers and adopt any new requirements in the field of prevention and hygiene in the healthcare setting. With its integrated design office and experienced technical teams, Villard designs and manufactures scalable furniture with a modular layout and certified quality, as recognized by more than 10,000 healthcare institutions worldwide.





Quality controlled & certified

In 2012, Villard implemented its Quality Management System for all of the company's departments (design, production and marketing), endorsed by ISO 9001-2015 Certification.



FABRIQUE EN FRANCE

All our products are produced near Le Mans in Sarthe. More than 80% of the components in our products come from French companies located within 300 km of our production site, the remaining 20% coming from other French or EEC companies.



Sustainable & responsible production

From eco-design to the collection and retroprocessing of our end-of-life products, Villard is a responsible producer that every day strives to reduce its ecological footprint.



French manufacturer,

committed by nature



ISO 9001 certified since 2012, Villard is carrying on its continuous improvement strategy by obtaining ISO 14001 certification in 2021 for its environmental commitment. More than just a certification, this global approach in place for several years now motivates us to reduce the environmental and societal impacts of our activities, products and services.

It is our everyday actions, our manufacturing processes and our search for innovative solutions that will contribute to a more profound change.

From eco-design to recycling our products, Villard is a committed and responsible manufacturer that strives to reduce its ecological footprint every day.

The eco-design of our products The durability of our products is the 1st in ecology and savings: it is from the analysis of the life cycle that we develop modular equipment, designed from 100% recyclable materials, coming with priority from out French suppliers, that Villard guarantees the longevity of its products. ABS/PMMA ABS/PMMA

(push handle and side rails) made of epoxy steel

Made by Villard in Sarthe (72)

Anodised aluminium

uprights from recycled sectors

Made in Maine et Loire (49)

Side ladders made of ABS

Made in Loire Atlantique (44)

Polypropylene drawers

Made in Jura (39)

Eolis® modular cart entirely designed and assembled by Villard in Sarthe (72) ABS/PMMA antibacterial workstation Made in Saône-et-Loire (71)

Modular internal equipment made from ABS Made in Indre-et-Loire (37)

Panels and base made from recycled ABS Made in Saône-et-Loire (71)

> Polyamide wheels with stainless steel ball bearings Made in Yvelines (78)

A hit eco-responsible packaging!

Villard gives particular attention to the packaging of its products in order to ensure, in optimum conditions, the various logistics operations (handling, transport and storage) and as such limit damages which is a source of waste and over-production.

Our packaging is custom-made with eco-designed cartons: FSC certified, made of 70% recycled materials, 100% recyclable and reusable; arranged on exclusively recycled wooden pallets.





Responsible purchasing

Villard selects is suppliers and service providers by integrating environmental and social criteria: we favour short circuits, optimise procurement and apply a life cycle and global cost logic in our purchasing processes.



Limiting and recycling our waste

Villard optimises its production process in order to limit scrap and waste: producing nested parts, choosing dimensions of raw materials, assembling machined parts that do not generate any additional waste, etc. All throughout the manufacturing cycle, our scrap and waste is sorted and retreated by local partners who are specialised and certified.



A 2nd life guaranteed for our products

Member of the collective sectors VALDELIA (for F-waste) and ECOSYSTEM (for WEEE) approved by the Ministry of the Environment, Villard offers its customers the possibility of getting rid of their products at the end of life without discarding or polluting.



In application of Art. L.541-10-13 of the French Environmental code, unique identifier numbers were delivered by ADEME to Villard certifying that we fulfil our extended producer responsibility obligations and that we are compliant with the law.

Our unique identifier numbers (UIN) are:

- for the sector of WEEE: FR000365_05HLRA WEEE: Waste Electrical and Electronic Equipment
- for the sector of F-waste: FR000365_100M1I F-waste: Furniture Waste



Sustainable logistics solutions

Villard develops partnerships with committed carriers who help us reduce the environmental impact of our supply chain: grouping organisation by courier, low carbon emission transport, multimodal solutions, use of alternative-energy vehicles, etc.



Latest-generation plant

In 2017, Villard invested in a 7,000 m² production tool that is energy-efficient andenvironmentally-friendly as required by 2012 Thermal Regulation.

Today, we have a treatment plant for our wastewater in a closed circuit, which allows for a total absence of outside pollution and a significant drop in our consumption.

A recognised approach



EcoVadis Silver medal

In order to confirm its commitment on CSR (Corporate Social Responsibility) issues, Villard has had its CSR policy validated by the EcoVadis organisation, the top international independent platform for evaluating CSR performance.

With a total score of 64/100 in 2021, Villard received a silver medal for its 1st evaluation. This results allows Villard to be in the top 4% of the companies in its sector of activity evaluated by EcoVadis.



Winner of the Indice Vert (Green Index) A.

In the framework of its sustainable development approach, each year the central procurement office CAHPP evaluates, on a contractual basis and with proof, the sustainable development strategy of its suppliers with the "Indice Vert" label.

AFAQ Responsible Purchasing CSR Focus certified by AFNOR ("confirmed" level), the central procurement office has given its best score to Villard (97.8/100) among the 315 suppliers evaluated for its degree of commitment and continuous improvement in terms of CSR and responsible production.



Villard guarantees our products are 100% made in France, in our new 7,000 m² factory based in Neuville/Sarthe near Le Mans.



Certified ISO 9001 & 14001 company since 2012,

Villard ensures quality control at each stage of its production and for all departments: Design, Production and Marketing.



All products manufactured in our factory are guaranteed for 10 years against any manufacturing defect (excluding electronic and wearing parts, guaranteed for 2 years).



In order to reduce our ecological footprint, more than 80% of the

components in our products are provided by French companies located within 500 km of our factory.





After-sales service is provided directly by our factory within a maximum period of 48 hours. (excluding weekends and public holidays).



Villard solutions have been selected and approved for over 20 years by the largest public and private purchasing groups.



As part of our quality focus, Villard was awarded a rating of 9/10 by healthcare institutions for the quality of Our customer support.



As part of its commitment to social responsibility, each year Villard participates in donating medical equipment to humanitarian and nonprofitable organisations (MSF, Horizon Sahel, Pharmaciens Sans Frontières, etc.).



Villard has been taking care of caregivers for over 70 years. Its expertise has been recognised in more than 10,000 healthcare institutions in 65 countries around the world.















FABRIQUÉ EN FRANCE

Villard guarantees our products are 100% designed and made in France,

in our factory based in Neuville/Sarthe (Le Mans).











Contents

Treatment furniture



Multifunction cart

11



22



2 V

Treatment Room furniture



Workstations

42





Drawer blocks Wall cabinets

45



Storage cabinets

47

3 Care Units



Patient file management

63



Paediatric Equipment

74



management

78



















Villard supports you




A human-sized project team, available and experienced, to provide you with support on a daily basis.



10 regional managers for "turn-key" management of your project (study of your logistics circuits, measurement taking, installation project, etc.).



3D plans made by our design office allow you to imagine your future customised layout.





A detailed and clear price offering to keep control of your budget.



The manufacturing and the delivery of YOUr future equipment in the best timeframes, taking your logistics constraints into account.



Personalised support through to commissioning and training on our products for users.

V

Treatment furniture

1.1	Treatment cart 600 x 400	p. 12
	Treatment cart COMPACT	p. 13
1.2	Medication cart Eolis® medication cart 600 x 400 Eolis® medication cart COMPACT	p. 14 p. 15
1.3	Emergency carts Eolis® emergency cart 600 x 400 Eolis® emergency cart COMPACT	p. 16 p. 17
1.4	Plaster cart Eolis® plaster cart 600 x 400	p. 18
Opt	ions & Accessories for Eolis® carts	p. 19

1.5 Treatment trolleys

Eolis® treatment trolleys 600 x 400	p. 22
Eolis® treatment trolleys COMPACT	p. 23
Options & Accessories for Eolis® trolleys	p. 24
Stainless steel trolleys	p. 28
Options & Accessories for stainless steel trolleys	p. 29
Stainless steel trolleys with resin trays	p. 30
Mobile Treatment Trolleys (SMS®-SPI®)	p. 31

1.6 Isolation carts& PPE Dispensers

Mobile Isolation Trolleys (UMP®)	p. 32
PPE Dispensing Units (UDEPI®)	p. 33
Eolis® isolation cart 600 x 400	p. 33

1.7 IV holder & IV poles p. 34

1.8 Healthcare activity waste sorting

9	
Évolu-Tri® mobile holders	p. 36
Évolu-Tri® holders for treatment carts	p. 38
Évolu-Tri® holders on the floor and walls	p. 39
Stainless steel pedal trash bins	p. 39
Hermé-Tri®holders with hermetic seal	p. 40







Eolis® treatment carts 600 x 400

- Entirely modular design offering great layout flexibility thanks to its internal walls made of ABS.
- ABS structure (sides bottom - base) and anodised aluminium -Surrounding grey bumpers made of ABS.
- Beige ABS/PMMA upper tray 705 x 415 mm with edges on the sides.
- Comes standard with ergonomic manoeuvring handle and 2 normalised rails (1 on each side), height-adjustable.
- · 4 swivel wheels Ø 125 mm with 2 with brakes made of polyamide with threadguard, stainless steel ball bearings.





Eolis® equipped treatment cart 600 x 400 with drawers (1006.01 T02):

- · Central locking with key lock
- 6 joined drawers incl. 3 x H 75 mm (1 level) + 2 x H 150 mm (2 levels)
- + 1 x H 225 mm (3 levels)
- · 2 stainless steel waste bag holders 20 L
- 1 sharp container holder









Eolis® treatment carts COMPACT

- Entirely modular design offering great layout flexibility thanks to its internal walls made of ABS.
- ABS structure (sides bottom base) and anodised aluminium -Surrounding grey bumpers made of ABS.
- Beige ABS/PMMA upper tray 530 x 420 mm with edges on the sides.
- Comes standard with ergonomic manoeuvring handle and 2 normalised rails (1 on each side), height-adjustable.
- 4 swivel wheels Ø 125 mm with 2 with brakes made of polyamide with threadguard, stainless steel ball bearings.



Eolis® equipped treatment cart COMPACT with drawers (1005.10 T01):

- · Central locking with key lock
- 6 joined drawers on aluminium epoxy telescopic slides (fully extends to 105%)
- incl. 3 x H 75 mm (1 level)
- + 2 x H 150mm (2 levels) + 1 x H 225mm (3 levels)
- 2 stainless steel waste bag holders 20 L
- 1 sharp container holder





EOLIS® MODULAR TREATMENT CARTS - COMPACT WITH DRAWERS
EULIS MUDULAR TREATMENT CARTS - CUMPACT WITH DRAWERS

	Equipped		- 585 x 510 x 1035 mm	1005.10 T01
	Empty (10 levels for drawers – without lock)			1005.10
B	OPTIONS			REF.
	Central locking with key lock for drawers COMPACT on telescopic slides			1501.08
	Description Of ADA OT	1 level		1501.31
	Drawers COMPACT (in aluminium epoxy) on telescopic slides	2 levels		1501.32
	on telescopic slides	3 levels		1501.33



+ •	
Find more accessories and options available for Eolis® modular carts	
Pages 19 to 21	

DIM. L X D X H

REF.

MODEL



Eolis® medication cart 600 x 400

- · Entirely modular design offering great layout flexibility thanks to its internal walls made of ABS.
- ABS structure (sides bottom base) and anodised aluminium -Surrounding grey bumpers made of ABS.
- Beige ABS/PMMA upper tray 705 x 480 mm with edges on the sides.
- Comes standard with ergonomic manoeuvring handle and 2 normalised rails (1 on each side), height-adjustable.
- · 4 swivel wheels Ø 125 mm with 2 with brakes made of polyamide with threadguard, stainless steel ball bearings.





1006.11 M02

REF.

Composition

Eolis® equipped medication cart 600 x 400 with rolling shutter (1006.11 M02):

- · Locking with rolling shutter and code lock + key
- 2 trays equipped with 16 pill dispensers - 1/8 format - Low
- 3 joined drawersincl. 2 x H 150 mm (2 levels) + 1 x H 225 mm (3 levels)
- 1 stainless steel waste bag holder
- 1 secure epoxy universal computer tray for portable PC

Eolis® equipped medication cart 600 x 400 with drawers(1006.01

- Central locking with code lock + key
- 7 joined drawers of which 5 x H75 mm (1 level) equipped with 40 pill dispensers for drawer - 1/8
- + 1 x H 150 mm (2 levels)
- + 1 x H 225 mm (3 levels)



EOLIS® MODULAR MEDICATION CART - 600 X 400 WITH ROLLING SHUTTER

MODEL DIM. L X D X H

Equipped 770 x 590 x 1015 mm

Empty (9 levels for rolling shutter - without lock) 1006.11





Equipped 1006.01 M01 770 x 510 x 1015 mm 1006.01 Empty (10 levels for drawers - without lock)



Eolis® medication cart COMPACT with rolling shutter

- Entirely modular design offering great layout flexibility thanks to its internal walls made of ABS.
- ABS structure (sides bottom base) and anodised aluminium -Surrounding grey bumpers made of ABS.
- Beige ABS/PMMA upper tray 530 x 420 mm with edges on the sides.
- Comes standard with ergonomic manoeuvring handle and 2 normalised rails (1 on each side), height-adjustable.
- 4 swivel wheels Ø 100 mm with 1 with brakes made of polyamide with threadguard, zinc-plated ball bearings.







1005.01 treatment version + options





1005.05 + options



EOLIS® MODULAR MEDICATION CART - COMPACT WITH ROLLING SHUTTER



40-	
Find more accessories and options available for Eolis® modular carts	
Pages 19 to 21	

MODEL	CAPACITY	DIM. L X D X H	REF.
	16 levels	585 x 510 x 1250 mm	1005.01
Simple	14 levels	585 x 510 x 1130 mm	1005.02
	12 levels	585 x 510 x 1010 mm	1005.03
	2 x 16 levels	1065 x 510 x 1250 mm	1005.04
Double	2 x 14 levels	1065 x 510 x 1130 mm	1005.05
	2 x 12 levels	1065 x 510 x 1010 mm	1005.06

		Z X TZ IEVEIS	1005 X 510 X 1010 IIIIII	1005.06
3)	OPTIONS		SIMPLE	DOUBLE
		with key	1501.01	1501.02
	Roller shutter with lock	with code + key	1501.03	1501.04
		with batch	1501.05	1501.06



Eolis® emergency carts 600 x 400

- · Entirely modular design offering great layout flexibility thanks to its internal walls made of ABS.
- ABS structure (sides bottom base) and anodised aluminium -Surrounding grey bumpers made of ABS.
- Beige ABS/PMMA upper tray 705 x 415 mm with edges on the sides.
- Comes standard with ergonomic manoeuvring handle and 2 normalised rails (1 on each side), height-adjustable.
- 4 swivel wheels Ø 125 mm with 2 with brakes made of polyamide with threadguard, stainless steel ball bearings.



Composition

Equipped Eolis® emergency cart 600 x 400 (1006.01 E02):

- · Centralised seal lock
- 5 joined drawers equipped with label holder incl. 1 x H 75 mm (1 level) + 3 x H 150 mm (2 levels)
- + 1 x H 225 mm (3 levels)
- · IV pole **C€**
- Defibrillator holder
- · Oxygen bottle holder
- Cardiac board €







_	
\rightarrow	EOLIS® MODULAR EMERGENCY CARTS – 600 X 400

	MODEL	DIM. L X D X H	REF.
	Equipped	000 540 4045	1006.01 E02
	Empty (10 levels for drawers - without lock)	— 830 x 510 x 1015 mm	1006.01
B	OPTIONS	MODEL	REF.
	Seal lock	Centralised	1600.02
	Searrock	individual for drawer	1600.09
	IV pole (€		1500.23
	Defibrillator holder		1500.75
	Holder for phlegm suction machine		1103.88
	Cardiac board (€		1600.25
	Conversion kit for telescopic drawers 600 x 400		1600.50
		1 level	1600.51
Composite drawer 600 x 400 on telescopic slide		2 levels	1600.52
	3 levels	1600.53	

ACCESSORIES	MODEL	REF.
Set of 100 numbered	for centralised lock	1100.47
seals	for individual lock for drawer	1106.21
Oxygen bottle holder		1100.42
Power strip	standard	1101.50
(fastening on rail)	with overvoltage protection	1100.43



Eolis® emergency carts COMPACT

- · Entirely modular design offering great layout flexibility thanks to its internal walls made of ABS.
- ABS structure (sides bottom base) and anodised aluminium -Surrounding grey bumpers made of ABS.
- Beige ABS/PMMA upper tray 530 x 420 mm with edges on the sides.
- Comes standard with ergonomic manoeuvring handle and 2 normalised rails (1 on each side), height-adjustable.
- · 4 swivel wheels Ø 125 mm with 2 with brakes made of polyamide with threadguard, stainless steel ball bearings.



1005.10 E01 front view

1005.10 E01 rear view

REF.

DIM. L X D X H



Composition

Equipped Eolis® emergency cart COMPACT (1005.10 E01):

- · Centralised seal lock
- · 6 joined drawers on aluminium epoxy telescopic slides (fully extends to 105%), equipped with label holderincl. 1 x H 75 mm (1 level)
- + 3 x H 150 mm (2 levels) + 1 x H 225 mm (3 levels)
- · IV pole **CE**
- Defibrillator holder
- · Oxygen bottle holder
- Cardiac board €



EOLIS® MODULAR EMERGENCY CARTS - COMPACT

	Equipped	655 x 510 x 1035 mm	1005.10 E01
-	Empty (10 levels for drawers - without lock)		1005.10
B	OPTIONS		REF.
	Centralised seal lock		1501.34
	IV pole C€		1500.23
	Defibrillator holder		1500.75
	Holder for phlegm suction machine		1103.88
	Cardiac board C		1600.25

	ACCESSORIES	MODEL	REF.
	Set of 100 numbered seals		1100.47
	Oxygen bottle holder		1100.42
	Power strip	standard	1101.50
	(fastening on rail)	with overvoltage protection	1100.43
	Drawer COMPACT	1 level	1501.31
(made of epoxy alumini	(made of epoxy aluminium)	2 levels	1501.32
	on telescopic slides	3 levels	1501 33







Equip your drawers with the separation kits available

Cardiac board **(€**





Eolis® plaster cart 600 x 400

- Entirely modular design offering great layout flexibility thanks to its internal walls made of ABS.
- ABS structure (sides bottom base) and anodised aluminium -Surrounding grey bumpers made of ABS.
- Beige ABS/PMMA upper tray 705 x 415 mm with edges on the sides.
- Comes standard with ergonomic manoeuvring handle and 2 normalised rails (1 on each side), height-adjustable.
- 4 swivel wheels Ø 125 mm with 2 with brakes made of polyamide with threadguard, stainless steel ball bearings.



Equipped Eolis® plaster cart 600 x 400 (1006.01 P02):

- 5 joined drawers incl. 1 x H 75 mm (1 level) + 3 x H 150mm (2 levels) + 1 x H 225mm (3 levels)
- Bridge equipped with a 5-compartment jersey dispenser for jersey roles (L. 3/5/7/10/15 cm) made of epoxy steel with front made of transparent altuglass
- Removable side holder for soaking tray + soaking tray
- 1 stainless steel waste bag holder





EOLIS® MODULAR PLASTER CART - 600 X 400

	MODEL	DIM. L X D X H	REF.
	Equipped	020 v F10 v 101F mm	1006.01 P02
	Empty (10 levels for drawers – without lock)	830 x 510 x 1015 mm	1006.01
•	ACCESSORIES		REF.
	Holder for soaking tray + plastic soaking tray		1600.54
	Jersey dispenser - 5 compartments (L 3/5/7/10/15 cm)		1600.57










Options and accessories for Eolis® modular carts





1600.40



1600.41



3-side gallery for tray

Without bottle holder Ref. 1600.40 With bottle holder Ref. 1600.41



1500.01



1600.43



Foldaway Sliding

Ref. 1500.01 Ref. 1600.43

For Eolis® cart

Ref. 1006.01 only



Removable bottle holder - 3 compartments

Ref. 392.28



Hand sanitiser holder

Fastening on the cart Ref. 1101.02



→ IV pole 2 height-adjustable plastic hooks C€

Ref. 1500.23



Options and accessories for Eolis® modular carts





Bridge 2 levels of fastening

For Eolis® carts 600 x 400 and COMPACT

Ref. 1500.11



Glove box hold

Simple	1100.74
Double	1501.36
Triple	1501.35



Fastening on rail	1600.69
Fastening on bridge (With Ø 25 mm clamp)	1101.01



600 x 400 1600.23 COMPACT 1500.14



Rail for bridge

600 x 400	1600.22
COMPACT	1500.12



Clip-on box holder for bridge

600 x 400	1600.24
COMPACT	1500.20





Adjustable height bridge 3 levels of fastening

For Eolis® carts 600 x 400 only Ref. 1100.35

Height adjustable accessories

For bridge Ref. 1100.35

High shelf	1100.36
Rail for bridge	1100.37
Holder for clip-on boxes	1100.78
IV pole	1100.79


Clip-on box

Choice of colours: Blue, Green, Red, Yellow, Grey

1 litre	890.65
3.5 litres	890.66
10 litres	890.67

Options and accessories for Eolis® modular carts





1 compartment	1500.29
2 compartments	1500.28
3 compartments	1500.27



494.23



400 x 100 x 100 mm	494.21
400 x 200 x 150 mm	494.23



1500.33

Side storage box

345 x 90 x 55 mm	1500.32
345 x 130 x 55 mm	1500.34
345 x 90 x 130 mm	1500.33
345 x 130 x 130 mm	1500.35



Universal sharp container holder

Ref. 1101.97



Waste bag holder with fastening clamp

Simple	20L bag	1501.22
Simple	30L bag	1501.23
Daubla	20L bag	1501.18
Double	30L bag	1501.19



1501.26

1501.24 Plastic waste bin

Cinanla	10 L	1501.24
Simple	15 L	1501.25
Double	10 L	1501.26
	15 L	1501.28





Motorised wheel for Eolis® carts

> Wheel Ø 100 mm with electric-assist 1600.99 with control handles



Ref. 1500.03



for wheels	
4 double-roller wheels Ø 125 mm 2 with brakes	1102.47
4 antistatic wheels Ø 125 mm 2 with brakes	1600.46
Wheels Ø 160 mm with 2 with brakes	1600.49




1 compartment	1101.94
2 compartments	1101.92
3 compartments	1101.93



Eolis® treatment trolleys 600 x 400

- Modular trolleys in 600 x 400 format compatible with all the accessories of the Eolis® 600 x 400 range.
- 700 x 450 mm trays with raised edges or turned down edges made of smooth composite ABS/PMMA material, resists all disinfectants used in the hospital environment.
- Raised edges on the H 20 mm trays on 3 sides and H 10 mm on the front side.
- Anodised aluminium profile uprights with section 35 x 35 mm, epoxy paint (choice of 8 colours).
- 4 swivel wheels Ø 100 mm made of polyamide with threadguard, zinc-plated ball bearings + 4 bumper rollers.







\rightarrow	EOLIS® TREATMENT TROLLEYS 600 X 400

MODEL	TRAYS	DIM. L X D X H	REF.
Daised adass	2 trays		1003.01
Raised edges	3 trays	740 405 070	1003.02
T	2 trays	— 743 x 495 x 979 mm —	1003.03
Turned down edges	3 trays		1003.04

	3 trays	1003.04
B	OPTIONS	REF.
	Manoeuvring handle	1300.01
	Side rail	1300.02
	Foldaway side shelf	1300.03
	3-side upper gallery	1300.04
	3-side upper gallery with bottle holder	1300.05
	3-side lower gallery	1300.06
	Ø30mm upright for computer arm	1300.32
	ACCESSORY	REF.
	Additional pair of slides	1300.26



Find more computer
equipment available
for Eolis® treatment trolleys


On page 24





Eolis® treatment trolleys COMPACT

- Modular trolleys in COMPACT format compatible with all the accessories of the Eolis® COMPACT range.
- 540 x 450 mm trays with raised edges or turned down edges made of smooth composite ABS/PMMA material, resists all disinfectants used in the hospital environment.
- Raised edges on the H 20 mm trays on 3 sides and H 10 mm on the front side.
- Anodised aluminium profile uprights with section 35 x 35 mm, epoxy paint (choice of 8 colours).
- 4 swivel wheels Ø 100 mm made of polyamide with threadguard, zinc-plated ball bearings 4 bumper rollers.







\Rightarrow	EOLIS® TREATM	MENT TROLLEYS COMPACT

MODEL	TRAYS	DIM. L X D X H	REF.
Raised edges	2 trays		1003.05
Raiseu euges	3 trays	F00 40F 070	1003.06
Turned down added	2 trays	580 x 495 x 979 mm	1003.07
Turned down edges	3 trays		1003.08

OPTIONS	REF.
Manoeuvring handle	1300.01
Side rail	1300.02
Foldaway side shelf	1300.03
3-side upper gallery	1300.07
3-side upper gallery with bottle holder	1300.08
3-side lower gallery	1300.09
Ø30mm upright for computer arm	1300.32
ACCESSORY	REF.
Additional pair of slides	1300.26



+!	
Find more computer equipment available for Eolis® treatment trolleys	
On page 24	



Create your Eolis®



DRAWERS 600 X 400 AND COMPACT



Drawer with pair of slides


MODEL	FORMAT	DIM. L X D X H	REF.
1 level	600 x 400	600 x 400 x 73 mm	1300.20
rievei	COMPACT	344 x 437 x 50 mm	1300.23
2 levels	600 x 400	600 x 400 x 149 mm	1300.21
Z levels	COMPACT	344 x 437 x 110 mm	1300.24
3 levels	600 x 400	600 x 400 x 226 mm	1300.22
3 levelS	COMPACT	344 x 437 x 170 mm	1300.25



Secure drawer with key with pair of slides

MODEL	FORMAT	DIM. L X D X H	REF.
1 level	600 x 400	600 x 400 x 73 mm	1300.29
2 levels		600 x 400 x 149 mm	1300.30
3 levels		600 x 400 x 226 mm	1300.31









treatment trolleys















600 x 400 COMPACT

Bridge	1300.10	
Bridge rail	1300.11	1300.15
Shelf	1300.12	1300.16
Shelf with hooks	1300.13	1300.17
Holder for clip-on boxes	1300.14	1300.18



Row of tilting boxes

1500.16
1500.17
1500.18
1500.19

Bridge rail needed - Ref. 1300.11/15



Glove box holder

Fastening on rail

Simple	1100.74
Double	1501.36
Triple	1501.35

Hand sanitiser holder

(fastening on bridge)

Fastening on rail	1600.69
With ø 35 mm clamp (fastening on trolley)	1300.19
With ø 25 mm clamp	1101.01



Sharp container holder

Fastening on rail	1101.97
With ø 35 mm clamp (fastening on trolley)	390.72
With ø 25 mm clamp (fastening on bridge)	390.70



Stainless steel wire waste bag holder

With ø 35 mm clamp

For 20L bag Ref. 392.84	
For 30L bag Ref. 390.79	



Side storage box

345 x 90 x 55 mm	1500.32
345 x 130 x 55 mm	1500.34
345 x 90 x 130 mm	1500.33
345 x 130 x 130 mm	1500.35



Clip-on box

Choice of colours: Blue, Green, Red, Yellow, Grey

1 litre	890.65
3.5 litres	890.66
10 litres	890.67



IV pole

Clamp needed ø 35 mm - Ref. 392.92

2 plastic hooks	317.01
4 plastic hooks	317.02
2 stainless steel hooks	317.03
4 stainless steel hooks	317.04



Replacement of 2 Ø100mm wheels with 2 Ø100mm wheels with brakes	1300.40
Replacement of 4 Ø100mm wheels with 4 Ø125mm wheels	1300.41
Replacement of 2 Ø125mm wheels with 2 Ø125mm wheels with brakes	1300.42





A4 format document holder

Ref. 1101.96

Side rail needed Ref. 1300.02





Equipped Eolis® treatment trolleys







1003.02 T02



1003.01 T01



1003.03 T03

1003.06 T07



1003.05 T05





1003.07 + options



Need advice?

Contact our team for a personalised study.

+33 (0)285 290 500



1003.06 + options







A 100% eo Made in France

modular range



Robust

Entirely designed with stainless materials, the Eolis® range guarantees optimum service life with no risk of corrosion or alteration of the structure.



Modular

Provided with modular internal ladders, the Eolis® range makes it possible to "custom" outfit your equipment in order to meet all needs.



Sustainable

As a responsible manufacturer, the products in the Eolis® range are entirely designed from recycled and 100% recyclable materials.



10-year warranty

All the products in the Eolis® range are guaranteed 10 years against any manufacturing defect (excluding electronic parts and wear parts).



Easy to move

All Eolis® is equipped standard with Ø 125 mm wheels with stainless steel ball bearings. Double-roller wheels are available as an option.



Easy to clean

With their rounded design with no corners or asperities in order to facilitate cleaning, Eolis® carts are compatible the disinfectants recommended in the care environment.



Stainless steel trolleys

- Argon welded construction -Stainless steel tube leg Ø 25 mm.
- Neat finish perfectly adapted to the operating theatre - 18/10 stainless steel quality (AiSi 304).
- Stainless steel trays with turned down or raised edges - Optional stainless steel drawers and galleries.
- Trolleys with or without push handle (formed by stainless steel arches -on each side).
- · Swivel wheels Ø 100 mm.









STAINLESS STEEL TROLLEYS

MODEL	TRAYS	DIM. L X D X H	REF.
	0.1	600 x 400 x 860 mm	312.01
Turned down	2 trays	700 x 500 x 860 mm	312.03
edges	3 trays	600 x 400 x 860 mm	312.02
		700 x 500 x 860 mm	312.04
Raised edges -	0.1	600 x 400 x 860 mm	312.09
	2 trays	700 x 500 x 860 mm	312.11
		600 x 400 x 860 mm	312.10
	3 trays	700 x 500 x 860 mm	312.12

STAINLESS STEEL TROLLEYS WITH PUSH HANDLES

MODEL	TRAYS	DIM. L X D X H	REF.
		600 x 400 x 960 mm	312.17
	2 trays	700 x 500 x 960 mm	312.19
Turned down		800 x 600 x 960 mm	312.21
edges with push handles		600 x 400 x 960 mm	312.18
	3 trays	700 x 500 x 960 mm	312.20
		800 x 600 x 960 mm	312.22
		600 x 400 x 960 mm	312.25
	2 trays	700 x 500 x 960 mm	312.27
Raised edges with push - handles		800 x 600 x 960 mm	312.29
		600 x 400 x 960 mm	312.26
	3 trays	700 x 500 x 960 mm	312.28
		800 x 600 x 960 mm	312.30



Options and accessories for stainless steel trolleys



Galleries for stainless steel trolleys

600 x 400 mm	2 sides	391.34
	3 sides	391.30
	4 sides	391.31
700 x 500 mm	2 sides	391.35
	3 sides	391.32
	4 sides	391.33



Galleries for stainless steel trolleys with push handles

600 x 400 mm	1 side	391.60
000 X 400 IIIIII	3 sides	391.30
700 x 500 mm	1 side	391.61
	3 sides	391.32
800 x 600 mm	1 side	391.62
	3 sides	391.28



Fixed holders with rows of Plexiglas tilting boxes

For trolleys with turned down edges only

5 boxes on 1 level	394.71
8 boxes on 2 levels	394.72
11 boxes on 2 levels	394.73



Stainless steel drawer units on slides

For trolleys 600 x 400 mm	391.36
For trolleys 700 x 500 mm	391.37

Separation kits 9 compartments for drawer

Made from aluminium	391.44
Made from plastic	394.70



With Ø 25 mm fastening clamp

300 x 300 x 150 **391.16**





Foldaway side shelf

For trolleys 600 x 400 mm	370 x 310 mm	391.45
For trolleys 700 x 500 mm	470 x 350 mm	391.46

Universal sharp holder with strap

With Ø 25 mm fastening clamp

Grey epoxy 390.70



Supplements for:



2 wheels with brakes Ø 100 mm	395.10
4 wheels for washing tunnel	390.88
2 wheels with brakes for washing tunnel	390.89
2 antistatic wheels	390.91
2 antistatic wheels with brakes Ø 100 mm	390.96
Bumper rollers	390.99



10/20 litres	390.65
20/30 litres	390.78

390.65





Stainless steel trolleys with resin trays

- Argon welded construction - Stainless steel tube leg Ø 25 mm - 18/10 stainless steel quality (AiSi 304).
- Compact resin trays, class M1 -Optional stainless steel drawers and galleries.
- Trolleys with or without push handle (formed by stainless steel arches on each side).
- 4 swivel wheels Ø 100 mm -Optional bumper rollers.









STAINLESS STEEL TROLLEYS WITH RESIN TRAY

MODEL	TRAYS	DIM. L X D X H	REF.
	2 trays	600 x 400 x 860 mm	303.60
Without push		700 x 500 x 860 mm	303.61
handle	3 trays	600 x 400 x 860 mm	303.62
		700 x 500 x 860 mm	303.63
With push handles	0.4	600 x 400 x 860 mm	303.64
	2 trays	700 x 500 x 860 mm	303.65
	3 trays	600 x 400 x 860 mm	303.66
	-	700 x 500 x 860 mm	303.67





Mobile Treatment Trolleys (SMS®) & Mobile Blood Collection Trolley (SPI®)

- Welded structure with stainless steel square tube 25 mm section.
- ABS/PMMA antibacterial workstation, height adjustable and foldaway.
- 4 swivel wheels Ø 50 mm with non-marking rubber treads equipped with threadguards.
- Universal & adjustable attachment system for connecting the unit to a bin treatment cart available as an option.




Composition

Mobile Treatment Trolley (SMS®) equipped with removable accessories:

- · Workstation (400 x 550 mm)
- Storage shelf with galleries and hooks (410 x 170 mm)
- Storage bin for bottles (380 x 200 mm)
- 1 sharp container holder
- 1 hand sanitiser holder
- 1 glove box holder
- 2 stainless steel waste bag holders
 20 L1 stainless steel waste bag holder 30L*
- "Caregiver" model equipped in addition with a retractable low shelf (400 x 350 mm) and a polyethylene laundry basket
- * only for the "Caregiver" model

Mobile Blood Collection Trolley (SPI®) equipped with removable accessories:

- Workstation (280 x 350 mm)
- 1 sharp container holder
- 1 hand sanitiser holder
- 1 glove box holder
- 1 stainless steel waste bag holder 30 L





→ M

MOBILE TREATMENT TROLLEYS (SMS®)

MODEL	DIM. L X D X H	REF.
Nurse	416 x 783 x 1553 mm	SMS INF
Height adjustable	559 x 861 x 1120 > 1342 mm	SMS HVP



ACCESSORY

REF.

Universal attaching system for treatment cart

ACCRO SMS



MOBILE BLOOD COLLECTION TROLLEY (SPI®)

MODEL	DIM. L X D X H	REF.
Blood collection	405 x 520 x 1400 mm	SPI C



Mobile Precaution Trolleys (UMP®)

- Compact isolation trolley designed to facilitate, with optimum safety, the application of additional precautions aimed at preventing and limiting the risks of cross transmission of infectious agents.
- Epoxy paint steel square to frame 25 mm section.
- 4 swivel wheels Ø 50 mm, with 2 with brakes. Wheels with nonmarking rubber treads equipped with threadguards.







MOBILE ISOLATION TROLLEYS (UMP®)

MODEL	COLOURS	DIM. L X D X H	REF.
Mobile	White	201 v E07 v 1721 mm	UMP C
	Yellow	— 391 x 507 x 1731 mm	UMP COL C
Wall	White	470 x 420 x 1510 mm	UMP MURALE





Composition

Mobile Isolation Trolley (UMP®) equipped with removable accessories:

- 2 storage baskets (380 x 315 x 100 mm)
- 1 shelf (350 x 280 mm)
- 1 universal holder for hand sanitiser
- 1 stainless steel waste bag holder 30 L
- · 3 coat hooks with coat separation spacer
- 1 reading window for instructions



PPE Dispensing Units (UDEPI®)

- Wall-mounted, door-mounted or mobile, the Personal Protective Equipment Dispenser Unit (UDEPI®) is a modular solution for the storage and dispensing of PPE designed to secure care procedures and promote application of barrier measures inside or outside the patient's room.
- · Base and extension made of white epoxy paint steel plate.
- · Modular and removable accessories fastened with screws with a square and easy to install.





UDEPI MUR M1



PPE DISPENSING UNITS (UDEPI®)

MODEL	DIM. L X D X H	REF.
Mobile	600 x 507 x 1731 mm	UDEPI MOB M1
Wall	(00154((0	UDEPI MUR M1
Door	600 x 154 x 660 mm	UDEPI PORT M1
ACCESSORY		REF.
UDEPI adaptation kit Wall on UMP® mobile fram	UDEPI SUPPORT MOB	



Equipped PPE Dispensing Unit

- 1 gown dispenser with instructions window
- · 3 glove box holders
- 1 mask box holder (large size)
- 1 waste bag dispenser with suspending hook
- · 1 side fastening hand sanitiser holder
- 1 sheet of identification stickers

Eolis® isolation cart 600 x 400

- Single piece case made from mechanically welded epoxy steel, closed on 5 sides with roof and bottom. Open face on 600 side.
- · ABS internal ladders with a capacity of 7 levels allowing the unit to be equipped with drawers 600 x 400 as well as all the internal elements in the Eolis range.



REF.



EOLIS® ISOLATION CART 600 X 400

MODEL

7 levels

DIM. L X D X H

644 x 457 x 930 mm 1007 22 101



Composition

Equipped Eolis® isolation cart 600 x 400 (1007.22 l01):

- 4 joined drawers
- incl. 2 x H 75 mm (1 level)
- + 1 x H 150mm (2 levels)
- + 1 x H 225mm (3 levels)
- 1 normalised side rail
- 1 hand sanitiser holder
- · 1 stainless steel waste bag holder




IV holders - Plastic base

- Height-adjustable shaft (Ø 25 mm) and IV pole (Ø 16 mm) made from stainless steel tube.
- Stainless steel or plastic hooks, curved or open - Maximum weight per hook: 4 kg
- Leg with 5 branches made of plastic equipped with pivot wheels Ø 50 mm.



All the IV poles on this page are certified $\mathbf{C}\mathbf{E}$.





PLASTIC LEG WITH IV POLE

HOOK FINISHING	HOOKS	DIM. Ø X H	STAINLESS STEEL	EPOXY	UNI-MANUAL STAINLESS STEEL
Curved plastic Curved stainless steel	2 hooks		317.12	317.32	317.50
	4 hooks	_	317.13	317.33	317.51
	2 hooks	500 x 1800 mm	317.14	317.36	317.46
	4 hooks		317.15	317.37	317.47
Open stainless steel	2 hooks		317.20	317.34	317.48
	4 hooks		317.21	317.35	317.49





ACCESSORIES	MODEL	REF.
Obsiders about how with a days	Square 330 x 330 mm	397.20
Stainless steel tray with edges	Round Ø 300 mm	397.21
Polycarbonate tray with edges	Rectangular 350 x 270 mm	397.25
Stainless steel guide handle		397.22
Stainless steel pump holder		397.23
Normalised stainless steel rail		397.24
Basket for epoxy accessories	250 x 120 x 150 mm	397.26
	Ероху	317.07
Plastic leg with shaft	Stainless steel	317.08
Ballast 3.5 kg		397.31
Supplement for 5 swivel wheels with 2 with brakes	Anti-static	397.27
	Paediatric	397.28
With 2 With Draines	Ø 80 mm	397.29




IV holders - Stainless steel base

- Welded shaft (Ø 25 mm) and IV pole (Ø 16 mm) with adjustable height made from stainless steel tube.
- Stainless steel or plastic hooks, curved or open - Maximum weight per hook: 4 kg.
- Leg with 5 branches made of welded stainless steel equipped with pivot wheels Ø 50 mm.



All the IV poles on this page are certified \mathbf{C}





STAINLESS STEEL LEG WITH IV POLE

HOOK FINISHING	HOOKS	DIM. Ø X H	STANDARD SETTING	UNI-MANUAL SETTING
0 11 "	2 hooks	500 x 1800 mm	317.22	317.44
Curved plastic	4 hooks		317.23	317.45
Curved stainless steel	2 hooks		317.24	317.40
	4 hooks		317.25	317.41
Open stainless steel	2 hooks		317.26	317.42
	4 hooks		317.27	317.43



ACCESSORIES	MODEL	REF.
Stainless steel tray with edges	Square 330 x 330 mm	397.20
Stailliess steel tray with edges	Round Ø 300 mm	397.21
Polycarbonate tray with edges	Rectangular 350 x 270 mm	397.25
Stainless steel guide handle		397.22
Stainless steel pump holder		397.23
Normalised stainless steel rail		397.24
Label holder for IV pole		397.32
Basket for epoxy accessories	250 x 120 x 150 mm	397.26
Anti-drip container with holder		397.30





Évolu-Tri® mobile

waste bag holders

- Robust square tube construction made of electropolished stainless steel 18/10, 25 mm section.
- Universal bag holder and/or carton/shaft made of stainless steel wire 18/10, adjustable, with maintaining device.
- · 4 pivot wheels Ø 75 mm, with 2 with brakes, with threadguards and non-marking rubber treads.







SRI 30







ÉVOLU-TRI® MOBILE WASTE BAG HOLDERS - SIMPLE

MODEL	CAPACITY	DIM. L X D X H	REF.
1 bag	30 litres	350 x 350 x 680 mm	SRI 30
	50 litres	350 x 400 x 680 mm	SRI 50
	50 to 120 litres	400 x 400 x 970 mm	SRI 50/120
4	25 to 60 litres	350 x 350 x 680 mm	SRI 50 C/F
1 container/bin for IHW	50 to 60 litres	400 x 400 x 970 mm	SRI 50/120 C/F





Reduce your costs with waste sorting at the source

Villard lends support to health establishments in setting up selective sort procedures for healthcare activity waste within the operating units.

Our advisers will offer you a free and customised study with the objective of reducing your treatment costs with simple solutions that have proven their effectiveness!



ETS D'ACTIVITE DE SO OUES INFECTIEUX M 公 **IHW**

15 to 20%



Évolu-Tri® mobile waste bag holders



MODEL	CAPACITY	DIM. L X D X H	REF.
	30 litres	490 x 360 x 680 mm	DRI 30
	50 litres	575 x 410 x 680 mm	DRI 50
2 bags	1 x 30 litres + 1 x 50 litres	530 x 410 x 680 mm	DRI 30/50
	1 x 30 litres + 1 x 120 litres	550 x 420 x 970 mm	DRI 30/120
	1 x 50 litres + 1 x 120 litres	550 x 420 x 970 mm	DRI 50/120
2 haga	1 x 30 litres + 2 x 30 litres	640 x 360 x 680 mm	DRI T30
3 bags	1 x 50 to 120 litres + 2 x 50 to 120 litres	720 x 420 x 970 mm	DRI T50/120
4 bags	2 x 50 to 120 litres + 2 x 50 to 120 litres	910 x 420 x 970 mm	DRI Q50/120
	1 x 30 litres (bag) + 1 x 25 to 60 litres (carton/drum)	490 x 360 x 680 mm	DRI 30 C/F
1 bag + 1 container/bin for IHW	1 x 50 litres (bag) + 1 x 25 to 60 litres (carton/drum)	575 x 410 x 680 mm	DRI 50 C/F
	+ 1 x 50 to 120 litres (bag) + 1 x 25 to 60 litres (carton/drum)	550 x 420 x 970 mm	DRI 50/120 C/F
0 h 1 1	2 x 30 litres (bag) + 1 x 25 to 60 litres (carton/drum)	640 x 360 x 680 mm	DRI D30 C/F
2 bags + 1 container/bin for IHW	+ 2 x 50 to 120 litres (bag) + 1 x 25 to 60 litres (carton/drum)	720 x 420 x 970 mm	DRI D50/120 C/F
2 containers/bins for IHW	25 to 60 litres	490 x 360 x 680 mm	DRI 50 DC/F
	50 to 60 litres	550 x 420 x 970 mm	DRI 50/120 DC/F



Holders Évolu-Tri® for treatment trolleys and carts

- Waste bag holders
 Évolu-Tri® for treatment trolleys
 and carts designed to optimise
 the sorting of healthcare activity
 waste at the source, as soon as
 treatment is given.
- Universal attaching systems, to be installed without tools.
- Made from electropolished stainless steel wire 18/10.











	MODEL	POSITION	CAPACITY	REF.
		Right	10 to 20 litres	SFI 10/20 D BP
	Cimplo	Left	TO to 20 littles	SFI 10/20 G BP
Holders with	Simple	Right	20 to 30 litres	SFI 20/30 D BP
stainless steel leg flange (for trolleys)		Left	20 to 30 litres	SFI 20/30 G BP
	D l-1 -		10 to 20 litres	DBL SFI 10/20 BP
	Double		20 to 30 litres	DBL SFI 20/30 BP
	0:		10 to 20 litres	1501.22
Holders with polycarbonate rail clamps (for carts)	Simple		20 to 30 litres	1501.23
			10 to 20 litres	1501.18
	Double		20 to 30 litres	1501.19




Évolu-Tri® holders on the floor



- Waste bag holders on the floor, simple or double, adaptable to the different waste bag capacities (from 10 to 120 L).
- Made from steel wire 18/10
 Ø 6 mm.







ÉVOLU-TRI® HOLDERS ON THE FLOOR

MODEL	CAPACITY	REF.
Simple	10 to 20 litres	SSI 10/20
	20 to 30 litres	SSI 20/30
	50 litres	SSI 50
	110 litres	SSI 110
Double	10 to 20 litres	DSI 10/20
	20 to 30 litres	DSI 20/30

Évolu-Tri® wall holders

- Waste bag holders on the wall (hardware not included) adaptable to the different waste bag capacities (from 10 to 120 L).
- Made from steel wire 18/10 Ø 6 mm.





Stainless steel pedal trash bins



- Stainless body and lid
- · Internal plastic bucket

ÉVOLU-TRI® WALL HOLDERS

CAPACITY	REF.
10 to 20 litres	SMI 10/20
20 to 30 litres	SMI 20/30
30 litres	SMI 30
50 litres	SMI 50
50 to 120 litres	SMI 50/120



STAINLESS STEEL PEDAL TRASH BINS

CAPACITY	REF.
12 litres	309.50
30 litres	309.54



Waste bag holders Hermé-Tri® with hermetic seal

- Robust construction made of AiSi 304 stainless steel tubes with PP white plastic base.
- Plastic base in the shape of a bowl making it possible to retain liquid flow coming from the bags.
- System for hermetically sealing the sack by clamping - Ring equipped with clamps to effectively maintain all types of bags.
- From 2 to 4 Ø 80 mm pivot wheels 2 with brakes with nonmarking rubber treads equipped with bumper rollers.





Simple - 2 wheels + 2 runners



Double - 4 wheels



Double - 2 wheels + 2 runners







TYPE OF FOOT	MODEL	CAPACITY	DIM. L X D X H	REF.
	1	40 to 70 litres	600 x 470 x 830 mm	404.90
4 self-braked wheels	1 bag	70 to 120 litres	600 x 470 x 990 mm	404.91
4 Self-braked wrieels	Ohogo	40 to 70 litres	1200 x 470 x 830 mm	404.92
	2 bags	70 to 120 litres	1200 x 470 x 990 mm	404.93
	1	40 to 70 litres	600 x 470 x 830 mm	404.80
4 wheels	1 bag	70 to 120 litres	600 x 470 x 990 mm	404.81
	0	40 to 70 litres	1200 x 470 x 830 mm	404.84
	2 bags	70 to 120 litres	1200 x 470 x 990 mm	404.85
2 wheels + 2 runners Wall fastening	1	40 to 70 litres	600 x 470 x 830 mm	404.82
	1 bag	70 to 120 litres	600 x 470 x 990 mm	404.83
	2 haga	40 to 70 litres	1200 x 470 x 830 mm	404.86
	2 bags	70 to 120 litres	1200 x 470 x 990 mm	404.87
	1 box	40 to 70 litres	600 x 390 x 790 mm	404.88
	1 bag	70 to 120 litres	600 x 390 x 950 mm	404.89







Treatment Room furniture

2.1 Workstations

Eolis® mobile workstations	p. 42
Suspended workstations	p. 43
Eolis® mobile workstations	p. 44

2.2 Drawer blocks

Eolis®	drawer	blocks	p.	45	;
_00	ara rr or	BIGGILO	μ.		•

2.3 Wall cabinets

Eolis® wall cabinets/Wall rails p. 46

2.4 Storage cabinets

Eolis® cabinets - D 600	p. 47
Eolis® cabinets - D 400 with drawers	p. 48
Eolis® cabinets - D 400 with rolling shutter	p. 49
Options and accessories for Eolis® cabinets	p. 50

2.5 Storage shelving

Eolis® shelving - D 400	p. 52
Create your Eolis® D400 shelving	p. 54
Eolis® shelving - D 600	p. 56
Create your Eolis® D 600 shelving	p. 58
Eolis® circulation Carts and Trolleys	p. 60
Wire shelving	p. 61

2.6 Stools

Height-adjustable stools p. 62







Eolis® mobile workstations

- Single piece case made from mechanically welded epoxy steel, closed on 5 sides with roof and bottom. Open face on 600 side.
- Workstation made from highdensity compact resin class M1, 10 mm thick with antibacterial treatment. Effectiveness tested to 99.9% on 7 bacteria according to standard JISZ 2801.
- ABS internal ladders with a capacity of 9, 2 x 9 or 3 x 9 levels (according to the model) making it possible to equip the block with drawers and perforated baskets ISO 600 x 400 as well as all the internal elements of the Eolis range (ISO tray with nominative pill dispensers and drawers).
- 4, 6 or 8 swivel wheels Ø 125 mm (according to the model) made of polyamide with threadguards of which 2, 3 or 4 with brakes, stainless steel ball bearings.










EOLIS® MOBILE WORKSTATIONS

	MODEL	CAPACITY	DIM. L X D X H	REF.
	Simple	9 levels	680 x 490 x 965 mm	1007.11
	Double	2 x 9 levels	1325 x 490 x 965 mm	1007.12
With drawers With rolling shutter	Triple	3 x 9 levels	1966 x 490 x 965 mm	1007.13
	Double with central space	2 x 9 levels	2030 x 490 x 965 mm	1007.14
	Simple, back-to-back	2 x 9 levels	1048 x 680 x 965 mm	1007.15
	Simple	8 levels	685 x 595 x 935 mm	1007.61
	Double	2 x 8 levels	1335 x 565 x 935 mm	1007.62

OPTIONS	REF.
Side rail for workstation	1700.22
Simple bridge for workstation	1700.23



Options and accessories for Eolis® mobile workstations



Suspended workstations

 Workstation made from highdensity compact resin class M1, 13 mm thick with antibacterial treatment. Effectiveness tested to 99.9% on 7 bacteria according to standard JISZ 2801.

S	OPTIONS	REF.
	Pair of brackets for suspended workstation	1008.20
	ACCESSORIES	REF.
	Additional bracket (from 1400 mm)	1008.21

1008.04		
1008.13	1008.20	
SUSPENDED WORKSTATIONS	1000.20	•
MODEL	WITHOUT BACKBOARD	WITH BACKBOARD
L 800 mm	1008.01	1008.10
L 1000 mm	1008.02	1008.11
L 1200 mm	1008.03	1008.12
L 1400 mm (3 brackets needed)	1008.04	1008.13
L 1600 mm (3 brackets needed)	1008.05	1008.14
L 1800 mm (3 brackets needed)	1008.06	1008.15
L 2000 mm (3 brackets needed)	1008.07	1008.16



Eolis® mobile workstations

- Epoxy paint welded steel frame (choice of eight colours), comprised of tubes of section 25 x 25 x 2 mm and spaced by tubes of section 35 x 20 x 1.5 mm. Comes standard with tapped inserts making it possible to fix 1 or 2 drawer blocks under the workstation.
- Compact stratified tray 10 mm thick glued onto the frame. Tray made of Corian[®] available as an option.
- Bridge available as an option, removable without tools and equipped with 3 levels of fastening.
- Accessories equipped with a Ø 25 mm clamp compatible with the frame (i.e. bag holders, computer holders, etc.).
- 4 swivel wheels Ø 125 mm made of polyamide with threadguards and stainless steel ball bearings, 2 with breaks on the front.







EOLIS® MOBILE WORKSTATIONS

MODEL	DIM. L X D X H	REF.
Simple	794 x 589 x 910 mm	1007.16
Double	1544 x 589 x 910 mm	1007.17

3	OPTIONS	MODEL	REF.
	Cumplement for Carian® tray	For simple workstation	1700.81
	Supplement for Corian® tray	For double workstation	1700.82
		For 1 drawer	1700.30
	Drawer block under the Eolis® workstation	3 levels	1700.31
		4 levels	1700.32
		With key	1700.01
	Central lock for drawers	With badge	1700.03
		With code + key	1700.04

ACCESSORIES	REF.
Bridge for Eolis® workstation – 3 levels of fastening	1700.33
Rail for bridge	1600.22
Shelf for bridge	1600.23
Holder for clip-on boxes or nominative drawers for bridge	1600.24



Eolis® drawer blocks

- Single piece case made from mechanically welded epoxy steel, closed on 5 sides with roof and bottom. Open face on 600 side.
- ABS internal ladders with a capacity of 7 to 9 levels (according to the model) making it possible to equip the block with drawers and perforated trays ISO 600 x 400 as well as all the internal elements of the Eolis range (ISO tray with nominative pill dispensers and drawers).



Suspended drawer blocks



1007.32 + options



1007.80



EOLIS® DRAWER BLOCKS

	MODEL	CAPACITY	DIM. L X D X H	REF.
	Mobile	9 levels	644 x 457 x 874 mm	1007.20
		8 levels	644 x 457 x 797 mm	1007.21
Drawer block		7 levels	644 x 457 x 730 / 830 / 930 mm	1007.22
Diawei block		9 levels	644 x 457 x 860 mm	1007.30
	Suspended	8 levels	644 x 457 x 780 mm	1007.31
		7 levels	644 x 457 x 704 mm	1007.32
		8 levels	650 x 532 x 847 mm	1007.70
	Mobile	7 levels	650 x 532 x 770 mm	1007.71
Drawer block		6 levels	650 x 532 x 694 mm	1007.72
with rolling shutter		8 levels	650 x 532 x 834 mm	1007.80
	Suspended	7 levels	650 x 532 x 758 mm	1007.81
		6 levels	650 x 532 x 681 mm	1007.82

OPTIONS	MODEL	REF.
	with key	1700.01
Central lock for drawers	with badge	1700.03
	with code + key	1700.04
Central lock for rolling shutter	with key	1700.10
	with badge	1700.12
	with code + key	1700.13
Supplement for upper tray for drawer block	Compact resin tray for drawer block	1700.50
	Compact resin tray for block with rolling shutter	1700.51
	Corian® tray for drawer block	1700.58
	Corian® for block with rolling shutter	1700.59



Eolis® wall cabinets

- Single piece case, closed on 5 sides with roof and bottom.
 Open face on 600 side.
- Foldaway shutter equipped with key lock
- Comes standard with one shelf or empty (according to the model).
- Max. capacity: 4 pairs of slides or 3 shelves (optional).





\ni	EOLIS® WALL CABINETS

	MODEL	DIM. L X D X H	REF.
	Equipped with one shelf		1000.41
	Empty	665 x 435 x 405 mm	1000.42
B	OPTIONS		REF.
	Code lock for wall cabinet		1103.51
	Pair of slides for wall cabinet		1103.42
	Additional shelf for wall cabinet		1103.44
•	ACCESSORIES		REF.
	Attaching system for wall cabinet		1103.75

Wall rails





Eolis® mobile storage cabinets

Depth 600

- Epoxy steel case closed on 5 sides with roof. Open face on 400 side, simple or double column.
- Available in a version with rolling shutter and lock with key (mechanical code as an option).
- ABS internal ladders making it possible to equip the cabinet with perforated or solid trays ISO 600 x 400.
- 4 or 5 swivel wheels Ø 125 mm made of polyamide with threadguards with 2 with brakes, stainless steel ball bearings.



Simple - Without rolling shutter



Double - Without rolling shutter



Create your Eolis® mobile storage cabinets with the **modular internal equipment** available

On page 97



MODEL	CAPACITY	DIM. L X D X H	REF.
Simple	20 levels	546 x 761 x 1930 mm	1001.13
With rolling shutter and key lock	16 levels	546 x 761 x 1630 mm	1001.17
Double	2 x 20 levels	1031 x 761 x 1930 mm	1001.14
With rolling shutter and key lock	2 x 16 levels	1031 x 761 x 1630 mm	1001.18
Simple Without rolling shutter Double Without rolling shutter	22 levels (20 slides)	546 x 761 x 1930 mm	1001.23
	18 levels (16 slides)	546 x 761 x 1630 mm	1001.27
	2 x 22 levels (2 x 20 slides)	1031 x 761 x 1930 mm	1001.24
	2 x 18 levels (2 x 16 slides)	1031 x 761 x 1630 mm	1001.28





Eolis® mobile storage cabinets Depth 400 with drawers

- Single piece case made from mechanically welded epoxy steel, closed on 5 sides with roof. Open face on 600 side (optional lock) simple or double column. Built-in push handle on the left (a second one is optional).
- ABS side ladders making it possible to equip the cabinet with drawers and trays ISO 600 x 400, trays with nominative pill dispensers and drawers
- 4 or 6 swivel wheels Ø 125 mm made of polyamide with threadguards with 2 or 3 with brakes, stainless steel ball bearings.







EOLIS® MOBILE STORAGE CABINETS - DEPTH 400 WITH DRAWERS

MODEL	CAPACITY	DIM. L X D X H	REF.
	22 levels	678 x 491 x 1950 mm	1007.01
Simple	18 levels	678 x 491 x 1640 mm	1007.02
	14 levels	678 x 491 x 1340 mm	1007.03
Double	2 x 22 levels	1322 x 491 x 1950 mm	1007.06
	2 x 18 levels	1322 x 491 x 1640 mm	1007.07
	2 x 14 levels	1322 x 491 x 1340 mm	1007.08



	REF.
with key	1700.01
with badge	1700.03
with code + key	1700.04
	with badge



Eolis® mobile storage cabinets Depth 400 with rolling shutter

- Single piece case made from mechanically welded epoxy steel, closed on 5 sides with roof. Open face on 600 side with removable rolling shutter (optional lock) to facilitate cleaning and disinfection. Built-in push handle on the left (a second one is optional).
- ABS side ladders making it possible to equip the cabinet with drawers and trays ISO 600 x 400, baskets with nominative pill dispensers and drawers
- 4 swivel wheels Ø 125 mm, 2 with brakes made of polyamide with threadguard, stainless steel ball bearings.









- (\rightarrow	EOLIS® MOBILE STORAGE CABINETS - DEPTH 400 WITH ROLLING SHUTTE	ΞR
- 4		LOCIO MODILLOTORAGE GADINETO DEI ITT 400 WITH ROLLING GITOTTE	-11

MODEL	CAPACITY	DIM. L X D X H	REF.
	20 levels (slides) of which 7 tilted in the upper part and 13 straight in the lower part	685 x 565 x 1920 mm	1007.50
Simple	13 levels	685 x 565 x 1310 mm	1007.53
	17 levels	685 x 565 x 1620 mm	1007.52
	21 levels	685 x 565 x 1920 mm	1007.51
	2 x 13 levels	1335 x 565 x 1310 mm	1007.58
Double	2 x 17 levels	1335 x 565 x 1620 mm	1007.57
	2 x 21 levels	1335 x 565 x 1920 mm	1007.56
	18 levels	685 x 565 x 1310 mm	1007.93
Simple Tighter ladders	24 levels	685 x 565 x 1620 mm	1007.92
	30 levels	685 x 565 x 1920 mm	1007.91
	2 x 18 levels	1335 x 565 x 1310 mm	1007.98
Double Tighter ladders	2 x 24 levels	1335 x 565 x 1620 mm	1007.97
-	2 x 30 levels	1335 x 565 x 1920 mm	1007.96



Options and accessories for **Eolis®** mobile storage cabinets



Key lock for rolling shutter

Ref. 1700.10



Code lock + key for rolling shutter Ref. 1700.13

Master key

For key lock 1600.19 For code lock + key 1501.10



Badge lock for rolling shutter

Ref. 1700.12

Set of 10 user badges Ref. 1501.12

Programming kit for badge lock

Ref. 1501.13



Telescopic holder for wrapped probes


Ref. 1700.34



Probe shelf (24 stainless steel hooks)



Ref. 1700.27



Foldaway side shelf for cabinet

Ref. 1700.24



Toxic case



4 bumper rollers for cabinet


Ref. 1700.20



Side rail for cabinet Ref. 1700.22



Telescopic shelf Ref. 1101.99




Additional push handle (on the right) for cabinet

Ref. 1700.21



Telescopic slides for baskets ISO 600 x 400

> Direction 600 mm on the front 1103.77 Direction 400 mm on the front 1103.76



2 levels 1700.37

Supplement for electronic code lock

Ref. 1700.38





Consult and download our catalogues available online





Treatment furniture and Service equipment



Laundry and waste management



Logistics and hospital pharmacy



Examination and consultation equipment



Sterilisation Operating theatre Intensive Care Units



Hospital prevention and hygiene



Eolis® modular shelving


Depth 400

- Welded steel ladder structure epoxy paint (choice of 8 colours).
- U shaped structure uprights spaced by rectangular and square section tubes.
- Assembly of ladders and spacers by screws.
- Well back-to-back fasteners available as standard on fixed shelving in order to ensure stability for the whole and allow for the adding of telescopic elements (shelves, drawers).
- Shelving 1000 x 400 and 1200 x 400 equipped with rear stiffeners as standard.
- Fixed: adjustable glides to adapt to uneven floors
- Mobile: 4 wheels made of composited material Ø 125 mm -Wheels with breaks optional






Fixed base + extension - Width 1000 mm









 \Rightarrow

FIXED AND MOBILE SHELVING - DEPTH 400

		FIXED SHELVING		MOBILE	SHELVING
WIDTH	LEVELS	BASE	EXTENSION	BASE	EXTENSION
600 mm	22 levels	1002.31	1002.32	1002.26	1002.68
1000 mm	(straight slides)	1002.78	1002.79	1002.70	1002.71
1200 mm	20 levels (from	1002.82	1002.83	1002.74	1002.75
Double 600 mm	1 tilted slide)	-	-	1002.27	-




Eolis® modular shelving

Depth 400

Examples of fixed shelving Base + extensions





Base 600 x 400 + extensions 600 x 400

Base 1200 x 400 + extension 1200 x 400 + extensions 600 x 400

Examples of mobile shelving Base







1002.27 + options





Create your fixed and mobile shelving - Depth 400 on the next page.






Need advice?

Contact our team for a personalised study.

+33 (0)285 290 500





Shelving (Bases/Extensions): **200 kg** Fixed shelves: **80 kg**

Telescopic drawers or shelves: 50 kg







We advise you to assemble the mobile shelving (base + extension) up to a maximum width of 1200 mm. Beyond that, use fixed shelving.





Create your Eolis® shelving

BASES + EXTENSIONS FOR FIXED AND MOBILE SHELVING - DEPTH 400










SHELVES & DRAWERS





Fixed shelves - Straight or tilted with pair of slides

Straight reversible/tilted shelves with raised edges

DIM. L X D	STRAIGHT	TILTED
600 x 400 mm	1200.30	1200.42
1000 x 400 mm	1200.32	1200.44
1200 x 400 mm	1200.34	1200.46



Telescopic shelves and drawers Straight

With pair of holders

DIM. L X D	SHELVES	DRAWERS
600 x 400 mm (13 notches)	1200.50	1200.56
1000 x 400 mm (21 notches)	1200.52	1200.58
1200 x 400 mm (26 notches)	1200.54	1200.60

TELESCOPIC DRAWERS



Telescopic drawers – Straight or tilted with transparent front

With pair of holders

DIM. L X D	STRAIGHT	TILTED
600 x 400 mm (12 notches)	1200.70	1200.75
1000 x 400 mm (21 notches)	1200.71	1200.76
1200 x 400 mm (25 notches)	1200.72	1200.77





BASKETS



Perforated baskets – 600 x 400*

MODEL	MATERIAL	REF.
1 level	Transparent PC	1103.01
(solid basket)	Grey ABS	1102.30
2 levels	Transparent PC	1103.02
Z leveis	Grey ABS	1102.31
2 -	Transparent PC	1103.03
3 levels	Grey ABS	1102.32

2 end-stop abutments needed - Ref. 1102.39

Depth 400




SEPARATORS



Separators for fixed shelves with raised edges

Depth: 400 mm Ref. 1200.48



Separators for telescopic drawers

MODEL	WIDTH	REF.
a. Depth separator		1200.80
b . Small model (2 notches)	90 mm	1200.82
c. Medium model (3 notches)	137 mm	1200.83
d. Large model (4 notches)	184 mm	1200.84





Separators for baskets 600 x 400

MODEL	DIRECTION	TRANSPARENT PC	GREY ABS
1 level	D 400 mm	1103.07	1102.34
rievei	L 600 mm	1103.08	1102.33
2 levels	D 400 mm	1103.09	1102.36
Z ieveis	L 600 mm	1103.10	1102.35
3 levels	D 400 mm	1103.11	1102.38
3 ieveis	L 600 mm	1103.12	1102.37

CEILINGS/FLOORS



Ceilings/floors

Upper or lower shelves.

DIM. L X D	REF.
600 x 400 mm	1200.36
1000 x 400 mm	1200.38
1200 x 400 mm	1200.40



Pair of slides Depth 400

Straight	1200.26
Tilted	1200.28

WHEELS WITH BREAKS

Wheels with breaks Ø 125 mm



Replacement of 2 Ø125mm wheels with 2 Ø125mm wheels with brakes. Ref. 1300.42

FASTENERS



Pair of fasteners for mobile shelving

	MODEL	REF.
	Wall fasteners	1200.24
	Back-to-back fasteners	1200.25




Eolis® modular shelving


Depth 600

- Welded steel ladder structure epoxy paint (choice of 8 colours).
- U shaped structure uprights spaced by rectangular and square section tubes.
- Assembly of ladders and spacers by screws.
- Well back-to-back fasteners available as standard on fixed shelving in order to ensure stability for the whole and allow for the adding of telescopic elements (shelves, drawers).
- Shelving 1000 x 600 and 1200 x 600 equipped with rear stiffeners as standard.
- Fixed: adjustable glides to adapt to uneven floors
- Mobile: 4 or 6 wheels made of composited material Ø 125 mm -Wheels with breaks optional.





Fixed base + extension - Width 1000 mm



Triple mobile bases



Create your modular shelving with the shelves, drawers and baskets available

WIDTH
LEVELS

400 mm

1000 mm

22 levels (straight slides)

1200 mm

20 levels (from 1 tilted slide)

Triple 400 mm

FIXED SHELVING		MOBILE SHELVING		
BASE	EXTENSION	BASE	EXTENSION	
1002.33	1002.34	1002.28	1002.69	
1002.80	1002.81	1002.72	1002.73	
1002.84	1002.85	1002.76	1002.77	
-	-	1002.29	-	
-	-	1002.30	-	



Eolis® modular shelving

Depth 600

Examples of fixed shelving Base + extensions





Triple base 600 x 400 + extension 1200 x 600

Base 1200 x 600 + extension 1000 x 600 + extension 600 x 400

Examples of mobile shelving Base + extension







1002.30 + options





Create your fixed and mobile shelving - Depth 600 on the next page.






Need advice?

Contact our team for a personalised study.

+33 (0)285 290 500





Shelving (Bases/Extensions): 200 kg Fixed shelves: 80 kg

Telescopic drawers or shelves: 50 kg








We advise you to assemble the mobile shelving (base + extension) up to a maximum width of 1200 mm. Beyond that, use fixed shelving.




Create your shelving

BASES + EXTENSIONS FOR FIXED AND MOBILE SHELVING - DEPTH 600



FIXED SHELVES - STRAIGHT OR TILTED







Fixed shelves - Straight or tilted with pair of slides

Straight reversible/tilted shelves with raised edges

DIM. L X D	STRAIGHT	TILTED
600 x 400 mm	1200.31	1200.43
1000 x 600 mm	1200.33	1200.45
1200 x 600 mm	1200.35	1200.47

Telescopic shelves and drawers Straight

With pair of holders

DIM. L X D	SHELVES	DRAWERS
600 x 400 mm (8 notches)	1200.51	1200.57
1000 x 600 mm (21 notches)	1200.53	1200.59
1200 x 600 mm (26 notches)	1200.55	1200.61

TELESCOPIC DRAWERS



Telescopic drawers - Straight or tilted with transparent front

With pair of holders

DIM. L X D	STRAIGHT	TILTED
1000 x 600 mm (21 notches)	1200.73	1200.78
1200 v 600 mm (25 notches)	1200 74	1200 79



BASKETS




Perforated baskets - 600 x 400*

MODEL	MATERIAL	REF.
1 level	Transparent PC	1103.01
(solid basket)	Grey ABS	1102.30
Olavala	Transparent PC	1103.02
2 levels	Grey ABS	1102.31
	Transparent PC	1103.03
3 levels	Grey ABS	1102.32

2 end-stop abutments needed - Ref. 1102.39

Depth 600




SEPARATORS



Separators for fixed shelves with raised edges

Depth: 600 mm Ref. 1200.49



Separators for telescopic drawers

MODEL	WIDTH	REF.
a . Depth separator		1200.81
b . Small model (2 notches)	90 mm	1200.82
c. Medium model (3 notches)	137 mm	1200.83
d. Large model (4 notches)	184 mm	1200.84





Separators for baskets 600 x 400

MODEL	DIRECTION	TRANSPARENT PC	GREY ABS
1 level	D 400 mm	1103.07	1102.34
i level	L 600 mm	1103.08	1102.33
2 levels	D 400 mm	1103.09	1102.36
Z levels	L 600 mm	1103.10	1102.35
3 levels	D 400 mm	1103.11	1102.38
3 levels	L 600 mm	1103.12	1102.37

CEILINGS/FLOORS



Ceilings/floors

Upper or lower shelves.

DIM. L X D	REF.
600 x 400 mm	1200.37
1000 x 600 mm	1200.39
1200 x 600 mm	1200.41

SLIDES

Pair of slides Depth 600

Straight	1200.27
Tilted	1200.29

WHEELS WITH BREAKS

Wheels with breaks Ø 125 mm



Replacement of 2 Ø125mm wheels with 2 Ø125mm wheels with brakes. Ref. 1300.42

FASTENERS

	Pair of fasteners for mobile shelving		
	MODEL	REF.	
	Wall fasteners	1200.24	
Ą	Back-to-back fasten	ers 1200.25	



Eolis® Transfer Carts/Trolleys

- Structure of the carts/trolleys made of welded steel - epoxy paint (choice of 8 colours). Cart/ trolleys open on all sides - Upper tray made of resin optional.
- Comes standard with 4 pairs of slides (simple models) for 8 pairs of slides (double models) straight and removable. 1 pair of stainless steel handles (carts) or 1 epoxy paint push handle (trolleys) included.
- Carts/trolleys compatibles with the drawers and trays 600 x 400 as well as the internal elements of the Eolis® range.
- 4 swivel wheels Ø 125 mm made of polyamide with threadquard, stainless steel ball bearings. Bumper rollers and wheels with brakes available as an option.








MOBILE INTERNAL TRANSFER CARTS

	MODEL	DIM. L X D X H	REF.
Depth 400	Simple - 17 levels	740 x 471 x 1610 mm	1002.50
Берит 400	Double - 2 x 17 levels	1378 x 471 x 1610 mm	1002.51
Donth 600	Simple – 17 levels	540 x 671 x 1610 mm	1002.52
Depth 600	Double – 2 x 17 levels	978 x 671 x 1610 mm	1002.53



OUTFITTING KIT FOR CIRCULATION CARTS

MODEL	SIMPLE	DOUBLE
Depth 400	1200.13	1200.14
Depth 600	1200.15	1200.16



/kg \ MAXIMUM LOADS

Circulation trolleys: 150 kg Circulation trolleys: 100 kg

COLOURS AVAILABLE



Red













Find more accessories trays, separators and slides available for carts and trolleys.



Circulation trolleys





MOBILE INTERNAL TRANSFER TROLLEYS

	MODEL	DIM. L X D X H	REF.
Depth 400	Simple - 9 levels	767 x 471 x 998 mm	1002.04
	Double - 2 x 9 levels	1405 x 471 x 998 mm	1002.14
Depth 600	Simple - 9 levels	567 x 671 x 998 mm	1002.08
	Double - 2 x 9 levels	1205 x 671 x 998 mm	1002.09



UPPER TRAY ANTIBACTERIAL RESIN

MODEL	SIMPLE	DOUBLE
Depth 400	1102.89	1103.28
Depth 600	1102.89	1103.29



Wire shelving

- Uprights made of Ø 25 mm steel two with chrome or epoxy coating - grey colour, grooved every 25 mm. Equipped with sealing plugs.
- Adjustable welded steel wire shelves with chrome or epoxy coating - grey colour.
- Standard adjustable glides. Optional wheels are available.
- Uprights and shelves sold per unit
 Available kits p.83.







→ WIRE SHELVING

	DIM. L X D	CHROME	EPOXY
Upright - Height 1830 mm		833.96	834.96
Adjustable shelf	1070 x 460 mm	833.61	834.61
	1220 x 460 mm	833.62	834.62
	1070 x 610 mm	833.77	834.77
	1220 x 610 mm	833.78	834.78

834.96 + options

Accessories



Separators				
DEPTH	STAINLESS STEEL AISI 304	EPOXY STEEL		
460 mm	831.43	834.43		
610 mm	831.45	834.45		

Connection hooks for extension (2 per shelf)
Stainless steel AiSi 304 (per unit)

Ref. 831.88

Manoeuvring handle made of chrome steel

Depth: 460 mm

Ref. 832.46 Depth: 610 mm Ref. 832.48

Bolt/nut for connection hook

Stainless steel AiSi 304 (per unit) Ref. 831.89





Wheels (per unit)

	Ø 100 MM	Ø 125 MM
Without brake	831.46	831.48
With brake	831.47	831.49






Height-adjustable stools

Manual control

- Seat Ø 33 cm covered with vinyl fabric, class M1.
- Fully covered (top and bottom of the seat) without seams.
- Adjustable height via a gas spring actuated by a handle under the seat or a foot control.
- Chrome leg with 5 branches on pads or swivel wheels Ø 50 mm.







Stretched seat

Thick seat

ADJUSTABLE HEIGHT TYPE OF FOOT REF. From 490 to 690 mm On pads 318.44 From 490 to 690 mm On swivel wheels Ø 50 mm 318.27 From 490 to 690 mm On pads 318.28 From 490 x 690 mm On swivel wheels Ø 50 mm 318.29 From 480 to 680 mm On pads 318.34 From 480 to 680 mm On swivel wheels Ø 50 mm 318.35

Foot control





HEIGHT-ADJUSTABLE STOOLS - FOOT CONTROL

	COLOUR	ADJUSTABLE HEIGHT	TYPE OF FOOT	REF.
Stretched seat		From 520 to 710 mm	On pads	318.31
Stretched Seat		From 540 to 730 mm	On swivel wheels Ø 50 mm	318.30
Thick cost		From 540 to 730 mm	On pads	318.32
Thick seat		From 560 to 750 mm	On swivel wheels Ø 50 mm	318.33

OPTIONS	COLOUR	REF.
Backrest for stools with welded seat	•	396.32
Backrest is height- and depth- adjustable		396.13
Adjustable height footrest		396.12

3 0

Care Units equipment

3.1 Patient file management

Computer carts	p. 64
Computer equipment	
for Eolis® modular carts	p. 65
Eolis® carts with files COMPACT	p. 68
Carts with files - Opening at the top	p. 70
Carts with files - Opening on the front	p. 71

3.2 Paediatrics/Maternity

Fixed height playpen beds	p. 72
Height-adjustable playpen beds	p. 73
Bassinets with fixed and adjustable height	p. 74
Measuring rods and baby scale	p. 75
Paediatric examination couch	p. 75
Baby changing carts	p. 75

3.3 Laundry management

Opti-Soins® laundry collection carts	p. 77
Mobile Treatment Unit - Caregiver	p. 78
Roll Cart and Transport containers	p. 79
Opti-Tri® laundry bag holder carts	p. 80
Carts with compartments and wardrobe	p. 82
Carts with wire shelves	p. 83
Nursing carts	p. 84
Eolis® laundry cart COMPACT	p. 86
Eolis® 600 x 400 laundry cabinets	p. 87
Composite laundry carts with levels	p. 88

3.4 Service furniture

Composite breakfast carts	p.	89
Stainless steel service carts	p.	90

3.5 Examination equipment

Screens	p. 92
Weighing chair	p. 94
Stainless steel footboard	p. 94







Computer carts

- Epoxy steel column with fixed or adjustable height - Height can be adjusted using a gas spring from 77 to 106 cm.
- Upper tray with built-in handles (Dim.: 55 x 55 cm) and compact resin base. Storage unit and mouse holder (on the right or left) included under the tray.
- Laptop secured without tools
 Safety hatch with key lock included for storing cables and the transformer.
- 4 wheels Ø 100 mm with 2 with brakes with threadguard.





DIM. L X D X H

REF.



COMPUTER CARTS

MODEL

HEIGHT

		HEIGHT	MODEL	DIM. L X D X H	KEF.
			For laptop PC		340.01
		Fixed	With VESA screen holder	— 550 x 610 x 1050 mm	340.03
\			With VESA screen holder with adjustable height	_	340.06
			For laptop PC		340.02
			With VESA screen holder		340.04
_	340.51	Adjustable	For laptop PC without storage unit	550 x 610 x 770 > 1060 mm	340.05
			With VESA screen holder with adjustable height	_	340.07
	3	OPTIONS			REF.
	10)	Drawer secur	red with a key on telescopic slides		340.50
		Sliding shelf t	for computer keyboard		340.51
		Holder for ac	cessories (basket, document hold	er, etc.)	340.52
		Holder for co	de reader		340.53
	340.58	Protective co	ver for the keyboard		340.54
	1	Central unit h	older or "Light client"		340.55
		Locking syste	em for laptop		340.56
		Key-secured		2 levels	340.58
	•	for nominativ	e drawers or pill dispensers	3 levels	340.59
		Secure holde	r with key for battery		1104.51
		Power supply	terminal strip		1101.50
	•	ACCESSORI	ES	DIM. L X D X H	REF.
		White epoxy	wire haskets	400 x 100 x 100 mm	494.21
			MILE DOSVETS	400 x 200 x 150 mm	494.23
	1104.51 + 1104.52	A4 format do	cument holder		1101.96
		Universal lithi	ium battery for computer hardwar	e	1104.52

Computer equipment for Eolis® modular carts











Villard

1103.54

Antimicrobial fixed height computer arm

With secure universal tray	1103.53
With VESA screen holder	1103.56
With VESA screen holder and keyboard holder	1103.58

A mast is needed - Ref. 1500.80.

Height-adjustable antimicrobial computer arm

With secure universal tray	1103.54
With VESA screen holder	1103.57
With VESA screen holder and keyboard holder	1103.59

A mast is needed - Ref. 1500.80.



Computer equipment for Eolis® modular carts





Epoxy - secure 1500.81
Stainless steel - not secure 1500.82


Secure protective lid for universal computer tray

Ref. 1103.63



Battery holder for universal computer tray

Ref. 1104.54



Ref. 338.78





VESA screen holder and antimicrobial keyboard holder

With orientable short pivot

Ref. 1103.66

A mast is needed - Ref. 1500.80.



Side support for light client

Eolis® cart 600 x 400

Ref. 1600.26



Antimicrobial secure touch tablet holder

Adaptation on VESA plate

8 to 9 inches	1103.73
9 to 11 inches	1103.74

A mast is needed - Ref. 1500.80 + 1 arm with VESA holder or Ref. 1600.62

Computer equipment for Eolis® modular carts



Drawer secured with a key on telescopic slides for laptop

Eolis® cart 600 x 400 with drawers

Ref. 1600.28



Telescopic shelf for computer keyboard Eolis® cart 600 x 400 with drawers

Ref. 1600.27



Telescopic holder for medical files

Suspended files	1101.98
Binders	1102.14

For Eolis® carts and cabinets 600 x 400



Holder for light client with fastening clamp

on mast Ø 30 mm Ref. 1104.50



Holder with 18 compartments for medical files

A4 format	1102.01
Radio format	1102.04

H 5 levels (A4) - 7 levels (radio) For Eolis® carts and cabinets 600 x 400



Sealed silicone medical computer keyboard

Without Touchpad	1104.14
With Touchpad	1104.16



Lithium-iron/phosphate universal battery 250 W/h With attachment on side rail

Ref. 1104.52

Secure battery holder with key lock

For battery Ref. 1104.52

Ref. 1104.51



Sealed silicone medical mouse

Ref. 1104.15



Eolis® medical files carts COMPACT with rolling shutter

- Entirely modular design offering great layout flexibility thanks to its internal walls made of ABS.
- ABS structure (sides bottom base) and anodised aluminium -Surrounding ABS grey bumpers.
- Beige ABS/PMMA upper tray 530 x 420 mm with edges on the sides.
- · Comes standard with ergonomic manoeuvring handle and 2 normalised rails (1 on each side), height-adjustable.
- · 4 swivel wheels Ø 100 mm, with 1 with brakes, made of polyamide with threadguard, zinc-plated ball bearings.









\geq	EOLIS® MEDICAL FILE CARTS - COMPACT WITH ROLLING SHUTTER

MODEL	CAPACITY	DIM. L X D X H	REF.
	16 levels	510 x 400 x 1250 mm	1005.01
Simple	14 levels	510 x 400 x 1130 mm	1005.02
	12 levels	510 x 400 x 1010 mm	1005.03
	2 x 16 levels	1060 x 400 x 1250 mm	1005.07
Double	2 x 14 levels	1060 x 400 x 1130 mm	1005.08
	2 x 12 levels	1060 x 400 x 1010 mm	1005.09














Options & Accessories for Eolis® carts









Telescopic shelf for computer keyboard Ref. 1500.74



Side file sorter A4 format

1 compartment	1500.29
2 compartments	1500.28
3 compartments	1500.27

A4 format document holder

> Ref. 1101.96 Side rail needed Ref. 1500.03



Console A3 format Ref. 1103.45





1500.71



1500.73

File with A4 compartments - 6 levels

For simple carts – 12 compartments (L 32 mm)	1500.70
For double carts – 20 compartments (L 42 mm)	1500.71



Holder for A4 suspended files - 7 levels

For simple carts – 20 files	1500.72
For double carts - 45 files	1500.73



Carts for medical files Opening at the top

- Epoxy paint deal tube frame.
 Entirely welded construction.
 White stratified panels.
- Closure rolling shutter with key lock - Sliding lid with optional lock.
- 2 side guide handles (key lock side).
- Removable resin separations forming 15 compartments 3.6 cm wide.
- Swivel wheels Ø 125 mm, with 1 with brakes, equipped with bumper rollers.





328.33 + options





CARTS FOR MEDICAL FILES - OPENING AT THE TOP

MODEL CAPACITY		DIM. L X D X H	REF.
A4 files	40 suspended A4 files	328.31 850 x 480 x 1000 mm	
A4 IIIES	15 compartments (L 36 mm)	630 X 460 X 1000 IIIII	328.33
Radio files	40 suspended radio files	660 x 860 x 1000 mm	328.32
Radio files	15 compartments (L 36 mm)	000 x 800 x 1000 IIIII	328.34

OPTIONS		REF.
Supplement for electronic code l	ock for rolling shutter	388.54
Sliding lid with handle and key lock Foldaway side shelf	For carts - A4 files	388.50
	For carts - Radio files	388.51
	For carts - A4 files	398.77
	For carts - Radio files	398.78
Secure universal tray for portable	PC (with socket welded to the upright)	398.79
Side holder Ø 30 mm for comput	ter arm	388.52

\Rightarrow	ACCESSORIES			REF.	
	Polypro suspended files A4	330 x 15 x 245 mm	Set of 10	398.48	
	Additional	For A4 format compar	tments	398.87	
	rigid separation	For radio format compartments 398.89			



Carts for medical files Opening on the front

- Epoxy paint deal tube frame -Entirely welded construction.
 White stratified upper tray and panels.
- Closure rolling shutter with key lock - Sliding lid with optional lock.
- 2 side guide handles (key lock side).
- Resin removable separations.
- Swivel wheels Ø 125 mm, with 1 with brakes, equipped with bumper rollers.









CARTS FOR MEDICAL FILES - OPENING ON THE FRONT

MODEL	CAPACITY	DIM. L X D X H	REF.
Files	40 suspended A4 files (15 mm bottom) on 2 levels	- 720 x 560 x 1140 mm	328.21
A4	32 compartment on 2 levels		328.24
A4 and radio	20 A4 files + 20 suspended radio files (15 mm bottom) on 2 levels	700 600 1140	328.22
files	16 A4 compartments + 16 radio compartments on 2 levels	- 720 x 690 x 1140 mm	328.25
Radio files	40 suspended radio files (15 mm bottom) on 2 levels	720 x 690 x 1200 mm	328.23
	32 compartment on 2 levels	- 720 X 030 X 1200 111111	328.26

B	OPTIONS		REF.
	Supplement for electronic code lock for rolling shutter		
		For carts D560 mm	398.77
	Foldaway side shelf	For carts D690 mm	398.78
	Secure universal tray for portable PC (w	398.79	
	Side holder Ø 30 mm for computer arm		388.52

ACCESSOR	IES				REF.
Polypro suspended	£1	A4	330 x 15 x 250 mm	Set of 10	398.47
	files	Radio	490 x 30 x 390 mm	Set of 25	398.49
	Kraft	A4	330 x 15 x 250 mm	Set of 25	398.42
		Radio	455 x 30 x 390 mm		398.45
Additional rigid separation			For A4 format compartm	ents	398.86
			For radio format compar	tments	398.88



Fixed height playpen beds

- Playpen beds are compliant with standards NF EN 716-1 and NF EN 716-2 of 05/2005 and compliant with the AFSSAPS decision of 30/07/2008.
- Steel construction (frame, base and bars) - Epoxy finish (choice of 12 colours).
- Sliding side bars adjustable in height (2 positions) on stainless steel slides - Anti-pinch safety abutments - Safety lock via a pivoting latch under the lying surface.
- Head and foot of the bed with welded sockets for IV pole.
- Bars spaced 59 mm apart (bars, head and foot of the bed).
- Welded mesh base Lying surface with (or without)
 Trendelenburg by rack to 15°.
- Swivel wheels Ø 100 mm with 2 with brakes.







FIXED HEIGHT PLAYPEN BEDS

MODEL	TILTING	BASE DIM.	DIM. L X W X H	REF.
	Without	1500 x 600 mm	740 x 1620 x 1650 mm	505.52
2 sliding	Trendelenburg liding	1200 x 600 mm	740 x 1320 x 1650 mm	505.54
sides	With	1500 x 600 mm	740 x 1620 x 1670 mm	505.60
	Trendelenburg	1200 x 600 mm	740 x 1320 x 1670 mm	505.56
	Without	1500 x 600 mm	740 x 1620 x 1610 mm	505.57
4 sliding	Trendelenburg	1200 x 600 mm	740 x 1320 x 1610 mm	505.58
sides	With	1500 x 600 mm	740 x 1620 x 1560 mm	505.61
	Trendelenburg	1200 x 600 mm	740 x 1320 x 1560 mm	505.59



ACCESSORIES		REF.		
Foam mattress with impermeable	for base 1500 x 600 mm	506.62		
polyurethane fabric cover, class M1	for base 1200 x 600 mm	506.43		
IV pole Ø 16 mm - 2 curved stainless s	317.03			
Urine bag holder with clamp		595.21		
Oxygen bottle holder		595.22		





All the playpen beds on this page are certified $\mathbf{C}\mathbf{E}$.







Height-adjustable playpen beds

- Playpen beds are compliant with standards NF EN 716-1 and NF EN 716-2 of 05/2005 and compliant with the AFSSAPS decision of 30/07/2008.
- · Aluminium construction (frame, base and bars) - Epoxy finish (blue and white).
- · Manual (crank) or electric adjustable height beds.
- · Retractable, sliding side bars and adjustable in height (3 positions) by gas spring - Antipinch safety abutments - Safety lock with possibility of blocking the barrier at mid height.
- Head and foot of the bed or removable with safety latches accessible only from the outside.
- · Bars spaced 60 mm apart (bars, head and foot of the bed).
- Perforated and removable base - Lying surface with Trendelenburg by gas spring up to 12°.
- · Swivel wheels Ø 150 mm with 1 anti-static - Directional blocking and centralised break via foot control.





All the playpen beds on this page are certified $\mathbf{C}\mathbf{E}$.





HEIGHT-ADJUSTABLE PLAYPEN BEDS

MODEL	CONTROL	BASE DIM.	DIM. L X D X H	REF.
Infant	Manual	900 x 500 mm	1090 x 590 x 1180 mm	505.20
	Manual	_ 1200 v 900 mm	1320 x 875 x 1600 > 1800 mm	505.21
Child	Electric	1200 X 600 IIIII		505.22
Cillia	Manual	_ 1500 v 900 mm	1620 x 875 x 1600 > 1800 mm	505.23
	Electric	— 1300 x 800 mm		505.24

B	OPTIONS	INFANT	CHILD
	Guide handles (at the head or foot of the bed)		595.38
	Normalised rail (at the head or foot of the bed)		595.39
	Supplement for Plexiglas head or foot of the bed	595.41	595.47
	Supplement for pair of Plexiglas side galleries	595.40	
	IV pole Ø 19 mm - 4 epoxy hooks	595.42	595.48
	Holder tube for electric pump	595.43	595.49

>	ACCESSORIES		REF.
		for base 900 x 500 mm	506.36
	Mattress with cover	for base 1200 x 800 mm	506.37
		for base 1500 x 800 mm	506.38
	Plastic basket (at the head or foot of the	bed)	595.45
	Accessory holder or urine bag holder		595.46



Bassinets with fixed height



- Frame is entirely welded in stainless steel 18/10 or epoxy (choice of 12 colours).
- Shell in moulded Altuglass -Possibility of Trendelenburg to 15°.
- · Swivel wheels Ø 50 mm.





	BASSINETS WITH FIXED HEIGHT		
	MODEL	DIM. L X D X H	REF.
	Stainless steel	465 x 865 x 960 mm	505.70
	Epoxy (choice of 12 colours)	400 X 000 X 900 111111	505.71
\Rightarrow	ACCESSORIES		REF.
	Foam mattress with impermeable vinyl fabri	c cover, class M1	506.44
	Small article basket		595.26
	Supplement for 2 wheels with brakes Ø 50 m	ım	595.25

Bassinets with adjustable height

- Frame is entirely welded in epoxy steel (white and blue colours).
- Shell in moulded Altuglass -Possibility of Trendelenburg between 6 and 15°.
- Bassinet with manual adjustable height by gas spring.
- Swivel wheels Ø 75 mm with 2 with brakes.



BASSINET WITH ADJUSTABLE HEIGHT
MODEL


MODEL	DIIVI. L X D X H	KEF.
Epoxy (white and blue)	850 x 540 x 940 > 1170 mm	505.79

REF.
506.35
595.45



Measuring rods and baby scale





- Reading on graduated scale with foldable mobile abutment - 1 mm graduation
- · Solid aluminium profile



- Approval class CE III Medical approval according to 93/42/EEC
- Ergonomic weighing surface made of easy-to-clean ABS plastic
- · No-vibration weighing: Filters vibrations for a stable weighing value, ideal for agitated babies
- Backlit LCD screen Height of digits: 25 mm
- Power adapter included

\Rightarrow	MEASURING RODS		
	MODEL	REF.	
	Wall mechanical From 60 to 200 cm	318.58	
	Portable mechanical From 6.5 to 100 cm	318.59	

\Rightarrow	BABY SCALES		
	MODEL	DIM. L X D X H	REF.
	From 6 to 15 kg 890 x 460 x 55 mm		318.60
	Up to 20 kg	690 X 400 X 33 IIIII	318.61
\Rightarrow	ACCESSORIES		REF.
	Mechanical measuring rod to be fastene Up to 80 cm - 1 mm graduation	ed to the baby scale	318.66

Examination couch and Baby changing carts










BABY CHANGING CARTS		
MODEL	DIM. L X D X H	REF.
Replacement of the tray with a baby changing top for mobile workstation (see p. 42)	600 600 70	1700.83
Adding a baby changing top for mobile drawer blocks (see p. 45)	600 x 620 x 70 mm	1700.62

A complete offering for the laundry circuit







Dispatch

zone





Collection and sorting of dirty laundry

Laundry bag holder carts







Carts with compartments and wardrobe



Finishing zone

Disinfection zone

Transport containers



Transport cabinets



Basket holders



Units

Laundry carts with rising/weighing bottom

A set of means implemented to control the risk of infection, laundry hygiene is a key element that contributes to the quality of the treatment and to the safety of persons in health establishments.

A French designer and manufacturer of peripheral laundry equipment, Villard participates in improving hosting services by meeting the requirements of standard NF EN 14065 RABC.

► Find all the equipment devoted to laundry management in the laundry and waste management catalogue.






Laundry collection carts



Opti-Soins®

- Ergonomic cart for collecting dirty laundry in the room, in compliance with prevention and hygiene rules.
- Stainless steel or epoxy construction (choice of 6 colours), entirely welded, can be nested in order to optimise storage.
- Foldable support for 30L laundry basket (basket as an option).
- Foldable stainless steel kit for patient/resident bed toiletry (optional).
- Wheels Ø 75 mm with threadguards.







OPTI-SOINS® LAUNDRY	COLLECTION CART

MODEL

	Stainless steel	550 x 510 x 990 mm	404.25
	Epoxy (choice of 12 colours)	300 / 010 // 330 111111	404.26
B	OPTIONS		REF.
	Supplement for wheel with brakes Ø 75	mm	494.44
\Rightarrow	ACCESSORIES		REF.
	Foldable kit for bed toiletry (two holders for 4L basins, towel holder	; basket for hygiene products)	494.46
	Pair of 4L stainless steel basins		494.47
	Removable stainless steel shelf		494.48
	30 L solid laundry basket - White colour		494.87
	Holder for hand sanitiser		900.66
	Vertical glove box holder		900.74
	Waste bag holder	20 L	907.01

DIM. L X D X H

REF.



Mobile Treatment Trolley



Caregiver SMS®

- · Welded structure with stainless steel square tube 25 mm section.
- · ABS/PMMA antibacterial workstation, height adjustable and foldaway.
- 4 painted wheels Ø 50 mm with non-marking rubber treads equipped with threadguards.
- · Universal and adjustable attachment system for connecting the unit to a nursery cart available as an option.



Q Composition

Mobile Treatment Trolley (SMS®) equipped with removable accessories

- Workstation (400 x 550 mm)
- Storage shelf with galleries and hooks (410 x 170 mm)
- · Storage bin for bottles (380 x 200 mm)
- 1 sharp container holder
- 1 hand sanitiser holder
- 1 glove box holder
- 1 stainless steel waste bag holder
- Retractable low shelf (400 x 350 mm)
- · Polyethylene laundry basket







MODEL

MOBILE TREATMENT TROLLEY (SMS®)

	WIODEL	DIWI. L X D X II	IXLI.
	Caregiver	416 x 783 x 1553 mm	SMS AS
•	ACCESSORIES		REF.
	Universal attaching system for Eolis® laundry	cart COMPACT	ACCRO SMS
	Large shelf (650 x 480 mm) as a replacement	for the standard shelf	TAB SMS GM
	Stainless steel waste bag holder 30 L - Right r	nodel	SFI 20/30 G
	Small removable storage tray (380 x 120 mm)		P. BAC SMS

DIM I X D X H

DEE







Roll Cart

- Single-piece roll cart closed on 3 wired sides Delivered assembled.
- Fully welded electro-galvanised steel construction (base + 3 panels).
- Built-in handles at the rear Side identification plate.
- Wheels Ø 125 mm, 2 fixed and 2 pivoting.



B	OPTIONS	REF.
	Opening foldaway 1/2 panel	499.21
	PVC bottom plate	499.10
	External protective	897.21



Transport containers

- Anodised aluminium container with welded anti-twist frame and entirely smooth single-piece wall.
- Removable lid + double doors -Drain plug Ø 32 mm with pedal for opening - Side handles on the pivoting wheel side - Lower nonmarking PVC bumpers.
- 2 fixed wheels + 2 pivot wheels Ø 200 mm with stainless steel bearings.



R	OPTIONS	REF.
	Vertical separation wall	496.19
	Drawbar	496.04
	Centralised brake on 2 wheels Ø 200 mm	496.05

(\rightarrow)	TRANSPORT CONTAINERS			
	VOLUME	DIM. L X D X H	WEIGHT	REF.
	760 L	1000 x 600 x 1225 mm	48 kg	416.65
	1100 L	1320 x 640 x 1225 mm	51 kg	416.66



Laundry bag holder carts



- Single-piece carts, composed of tubes Ø 25 mm and of a lower steel sheet shelf thickness 10/10 made of stainless steel, entirely argon welded.
- Polyamide universal bag holder ring with rubber system for blocking the bag. Dim. 370 x 270 mm - Max. weight on ring: 15 kg.
- Moulded ABS lid with grasping handle (choice of 5 colours) equipped with a cushioned descent - Pinned on a robust stainless steel hinge, protected by the lid.
- Swivel wheels Ø 100 mm, mounted on ball bearings, with non-marking rubber treads and threadguards.







OPTI-TRI® LAUNDRY BAG HOLDER CARTS

MODEL	CAPACITY	DIM. L X D X H	WITHOUT LID	WITH LID	WITH LID AND PEDAL
	1 bag	490 x 525 x 1010 mm	420.01	420.02	420.03
	2 bags	830 x 525 x 1010 mm	420.04	420.05	420.06
With push handle	3 bags	1170 x 525 x 1010 mm	420.07	420.08	420.09
	4 bags	1510 x 525 x 1010 mm	420.10	420.11	420.12
	4 back-to-back bags	760 x 1085 x 970 mm	420.13	420.14	420.15
	1 bag	440 x 525 x 970 mm	420.31	420.32	420.33
	2 bags	780 x 525 x 970 mm	420.34	420.35	420.36
Without push handle	3 bags	1120 x 525 x 970 mm	420.37	420.38	420.39
	4 bags	1460 x 525 x 970 mm	420.40	420.41	420.42
	4 back-to-back bags	760 x 1030 x 970 mm	420.43	420.44	420.45




Laundry bag holder carts





Laundry bags and washing nets



LAUNDRY BAGS AND WASHING NETS	MODEL	DIM. L X D	REF.
(0.400) 21 11 11 11 11	solid		497.01
Laundry bag with round bottom (Ø 400 mm) with side handles + bottom Polyester canvas 120 g/m² - Closure with a cord + Fixlock	striped	630 x 1000 mm	497.02
Choice of 6 colours: blue, green, red, yellow, orange	solid impermeable (blue)		497.03
Two-colour washing net		450 x 750 mm	497.04
Polyester mesh 180 g/m² - Brandeburg flexible rubber closure Choice of 6 colours: blue, green, red, yellow, white		600 x 900 mm	497.05
_aundry bag with soluble opening (carton of 200 bags) - 30 microns	65 L	710 x 760 mm	497.15
Colours: transparent	95 L	710 x 960 mm	497.16
100% water-soluble laundry bag (carton of 200 bags) - 25 microns Colours: transparent	70 L	840 x 660 mm	497.17



Carts with compartments and wardrobe



- · Structure with two uprights and steel wire shelves. Carts delivered in kit form - Easy and quick to assemble, and no tools required.
- Uprights made of Ø 25 mm steel two with chrome or epoxy coating - grey colour, grooved every 25 mm. Equipped with sealing plugs.
- Adjustable welded steel wire shelves with chrome or epoxy coating - grey colour. Max. load per shelf: 250 kg.
- Pivot wheels Ø 125 mm, with 2 with brakes, mounted on ball bearings, with non-marking tread.



Carts with compartments and with compartments and wardrobe equipped as standard with:

- 4 tube uprights
- Wire shelves with separators
- 1 label holder/compartment
- · Wardrobe bar with upright (only for carts with compartments and wardrobe)
- · 4 bumper rollers



CARTS WITH COMPARTMENTS

COMPARTMENTS	LEVEL	WIDTH	DIM. D X H	EPOXY
8	4	610 mm		839.01
10	5	010111111		839.02
12	4	010 mm		839.03
15	5	– 910 mm		839.04
16	4	1220 mm	460 x 1750 mm	839.05
20	5	1220 mm	- 460 x 1750 mm -	839.06
20	4	1520 mm		839.07
24	4	1830 mm		839.08
25	5	1520 mm		839.09
30	5	1830 mm		839.10



we recommend carts with a

structure (tubes and wire shelves) made of steel with epoxy coating which is more eco-responsible.





CARTS WITH COMPARTMENTS AND WARDROBE

COMPARTMENTS	LEVEL	WARDROBE	WIDTH	DIM. D X H	EPOXY
8	4	300 mm	910 mm		839.20
10	5	300 mm	910111111		839.21
12	4	300 mm	1220 mm		839.22
	5	300 mm	1220 111111	460 x 1750 mm	839.23
15	5	600 mm	1520 mm	400 X 1/50 MIII	839.24
	5	900 mm	1830 mm	m	839.25
16	4	300 mm	1520 mm	•	839.26
20	5	300 mm	1320 111111		839.27



Carts with wire shelves



- Structure with two uprights and steel wire shelves. Carts delivered in kit form - Easy and quick to assemble, and no tools required.
- Uprights made of Ø 25 mm steel two with chrome or epoxy coating - grey colour, grooved every 25 mm. Equipped with sealing plugs.
- Adjustable welded steel wire shelves with chrome or epoxy coating - grey colour. Max. load per shelf: 200 kg.
- Swivel wheels Ø 125 mm, with 2 with brakes, mounted on ball bearings, with non-marking tread.





Composition

Carts with wire shelves comes standard with:

- 4 tube uprights
- 5 wire shelves
- 4 bumper rollers

(\rightarrow)	CARTS WITH WIRE SHELVES

DEPTH	WIDTH	HEIGHT	EPOXY
	610 mm		839.40
	760 mm		839.41
	910 mm		839.42
460 mm	1070 mm	1750 mm	839.43
	1220 mm		839.44
	1520 mm		839.45
	1830 mm		839.46
	610 mm		839.47
	760 mm		839.48
	910 mm		839.49
610 mm	1070 mm	1750 mm	839.50
	1220 mm		839.51
	1520 mm		839.52
	1830 mm		839.53



OPTIONS		REF.			REF.
Rear retaining rod with 2	2 hooks	892.55	Oida kaalad	small model	494.21
Additional label holder		830.20	Side basket	large model	494.23
Stainless steel handle	D 460 mm	831.85	Shelf side	D 460 mm	833.87
	D 610 mm	831.87	Srieii side	D 610 mm	833.89
Wheel Ø 100 mm	Without brake	831.46	External wardrobe	- (L 300 mm)	831.84
Wileel Ø 100 mm	With brake	831.47			



Nursing carts

- Entirely welded steel structure with ergonomic push handles - Epoxy finish (choice of 14 colours).
- "Open" model with side grids.
- "Secure" models with solid walls and sliding doors on the front, with key lock, made of epoxy aluminium.
- Central tray adjustable in height on the meshes of the side grids or on internal holders.
- Swivel wheels Ø 125 mm with 1 with brakes with bumper rollers.



Composition

"Open" nursery carts (408.32 and 408.33) equipped as standard with:

- Upper and lower trays covered with an ABS plastic tray with turned down edges
- Sliding plastic drawer on the 2 sides
- 1 side plastic tray (345 x 130 x 130 mm) + 1 side basket (400 x 200 x 150 mm)
- 1 sliding sorter with 3 compartments + 1 sliding sorter with 1 compartment (15/20 patients) or 2 sliding sorters with 3 compartments (20/30 patients)

(°)





REF.

408.32 408.33

408.36

408.37

SECURE 494.99 1700.22

494.16

494.45

494.17 494.12 494.29

directional

			MODEL	CAPACITY	DIM. L X D X H	
				For 15 to 20 patients	1165 x 570 x 116	50 mm
			Open	For 20 to 30 patients	1415 x 570 x 116	50 mm
Characteristics COLOURS AVAILABLE FOR ALL THE CARTS			Secure with sliding doors	For 15 to 20 patients	1165 x 570 x 116	50 mm
				For 20 to 30 patients	1415 x 570 x 116	50 mm
White	Blue	B	OPTIONS			OPEN
Beige	Light blue		Master key for slidin	g doors		
Yellow	Light green		Normalised side rail			
Saffron	Lilac		Solid wall			494.17
Red	Aluminium		Hermé-Tri® bag holo	der with solid wall		494.12
Green	Fuchsia			omputer tray with clamp @	1.35 mm	494.29
Turquoise Plum			with brake			
			Supplement for whe	el		

NURSING CARTS



Options and accessories for nursery carts





1 compartment Ref. 494.19 3 compartments Ref. 494.18

On upper tray only for ref. **408.36** and **408.37**



Side storage basket

Small model (400 x 100 x 100 mm) **Ref. 494.21**

Large model (400 x 200 x 150 mm) **Ref. 494.23**



Motorised wheel for change carts

Wheel Ø 100 mm with electric-assist with control handles

Ref. 494.79



Telescopic writing shelf**

Ref. 494.25



Separator for tray*

Intermediate Ref. 494.92 Lower Ref. 494.93



Side plastic tray with hooks

Ref. 494.26




Height-adjustable computer arm*

WITH universal tray Ref. 494.71

WITH VESA plate for screen

Ref. 494.72



Telescopic secure drawer**

With key lock Ref. 494.30



ABS tray*

For upper tray:

15 to 20 patients

494.95

20 to 30 patients

494.96

For lower tray:

15 to 20 patients

494.97

20 to 30 patients

494.98



Sliding plastic drawer

Open		494.24
Secure with doors	H 80 mm	494.94
	H 120 mm	494.88



Holders for:

Simple glove box	494.14
Sharp collector (on rail)*	1101.97
Paper roll	494.20
A4 sheets	494.15
A4 files (on rail)*	1101.96
Hand sanitiser (on rail)*	1600.69
Hand sanitiser with clamp Ø 25 mm**	1101.01

*Options and accessories only compatible with ref. **408.36** and **408.37**

^{**}Options and accessories only compatible with ref. **408.32** and **408.33**



Eolis® laundry cart COMPACT

- Entirely modular design offering great layout flexibility thanks to its internal walls made of ABS.
- ABS structure (sides bottom base) and anodised aluminium - Surrounding grey bumpers made of ABS.
- Beige ABS/PMMA upper tray 1000 x 420 mm with edges on the sides.
- Comes standard with ergonomic manoeuvring handle and 2 normalised rails (1 on each side), height-adjustable.
- 4 swivel wheels Ø 100 mm, with 1 with brakes, made of polyamide with threadguard, zinc-plated ball bearings.









1500.29



EOLIS® MODULAR LAUNDRY CARTS - COMPACT WITH ROLLING SHUTTER

MODEL	CAPACITY	DIM. L X D X H	REF.
	2 x 16 levels	1065 x 510 x 1250 mm	1005.04
Double	2 x 14 levels	1065 x 510 x 1130 mm	1005.05
	2 x 12 levels	1065 x 510 x 1010 mm	1005.06

B	OPTIONS		REF.
		with key	1501.02
	Roller shutter with lock	with code + key	1501.04
		with badge	1501.06
	Foldaway side shelf		1500.01
	Supplement for wheels Ø 125 mm (as a replacement for wheels Ø 100 mm)		1500.92
	4 double-roller wheels Ø 125 mm 2 with brakes		1102.47

4 double-roller wheels Ø 125 mm 2 with brakes		1102.47	
ACCESSORIES		REF.	
Aluminium shelf COMPACT		1500.43	
Cida ataura hashat	400 x 100 mm	494.21	
Side storage basket	400 x 150 mm	494.23	
	3 compartments	1500.27	
Plastic side file sorter - A4 format	2 compartments	1500.28	
	1 compartment	1500.29	
Double 30L waste bag holder with fastening of	slamp	1501.19	



Eolis® 600 x 400 laundry cabinets

- Entirely modular design offering great layout flexibility thanks to its internal walls made of ABS.
- Fully-welded epoxy steel singlepiece case closed on 5 sides with ceiling.
- Lock with rolling shutter on the front, removable to facilitate cleaning and disinfection (optional lock).
- Comes standard with built-in manoeuvring handle on the left side (second as an option).
- 4 swivel wheels Ø 125 mm, with 2 with brakes, made of polyamide with threadguard, stainless steel ball bearings.









	3	EOLIS® MODULAR LAUNDRY CABINETS - 600 X 400 WITH ROLLING SHUTTER
\ ′		

MODEL	CAPACITY	DIM. L X D X H	REF.
	21 levels	685 x 565 x 1920 mm	1007.51
Standard ladders	17 levels	685 x 565 x 1620 mm	1007.52
	13 levels	685 x 565 x 1310 mm	1007.53
	30 levels	685 x 565 x 1920 mm	1007.91
Tighter ladders	24 levels	685 x 565 x 1620 mm	1007.92
	18 levels	685 x 565 x 1310 mm	1007.93

with key with badge	REF. 1700.10
	1700.10
with badge	
9	1700.12
with code + key	1700.13
	1700.20
	1700.21
	1700.22
	1700.24

Foldaway side shelf		1/00.24
ACCESSORIES		REF.
Resin shelf 600 x 400		1100.58
Aluminium shelf 600 x 400 - Turned do	wn edge (front) / Raised edge (rear)	1700.39
	1 level	1600.30
Drawer 600 x 400	2 levels	1600.31
	3 levels	1600.32
0:1	400 x 100 mm	494.21
Side storage basket	400 x 150 mm	494.23



Composite laundry carts with levels

- Single-piece polyethylene structure - 3 levels spaced 270 mm apart.
- Opening with (or without) foldaway doors with magnetic closure on each side of the cart.
- Equipped with (or without) foldaway bag holders with lid on the sides.
- "Nursing carts" models equipped with stainless steel separation grids (1 per level).
- 2 swivel wheels Ø 125 mm + 2 fixed wheels Ø 160 mm







405.61 equipped



COMPOSITE LAUNDRY CARTS WITH LEVELS

MODEL	OPENING	EQUIPPED WITH	DIM. L X D X H	REF.
Nursing	Without door	Without bag holder	950 x 565 x 1260 mm	405.74
carts	With 4 doors	With 1 bag holder	1185 x 565 x 1260 mm	405.78
	Without door	Without bag holder	950 x 565 x 1260 mm	405.70
Cart with levels		With 2 bag holders	1185 x 565 x 1260 mm	405.72
		Without bag holder	950 x 565 x 1260 mm	405.71
	With 4 doors	With 2 bag holders	1185 x 565 x 1260 mm	405.73

3	OPTIONS		REF.
	Additional separation grid	Nursing carts	495.60
	Change sorter for upper tray		495.84
	4-level stainless steel ladder	Wall	495.61
	(for plastic holder and tray)	Nursing carts	495.62
	Stainless steel wire holder (for plastic tray)		495.63
	10 L plastic tray (410 x 315 x 110 mm)		495.64
	Height-adjustable computer arm with univers	eal platform	494.71



Composite breakfast carts

- Polyethylene structure -Stainless steel side push bars or handles.
- Foldaway doors on each side with magnetic closure (key lock optional)
- Carts equipped with slides on 7 levels (single-piece) - Space between the slides: 98 mm or on 15 levels (modulable) - Space between the slides: 32 mm
- 4 composites pivot wheels
 Ø 125 mm









COMPOSITE BREAKFAST CARTS

MODEL	CAPACITY	DIM. L X D X H	REF.
Single-piece	2 x 7 levels	1010 x 650 x 1100 mm	402.38
Modulable	15 levels	1055 x 650 x 1115 mm	402.39

3	OPTIONS	SINGLE-PIECE	MODULABLE
	Large removable central separation		495.22
	Large shelf over the entire width of the cart		495.23
	Key lock		495.24
	Foldaway side shelf	495.52	495.25
	Sheet collector		495.32
	Stainless steel basket Gastronorm 1/1 format		495.36
	Stainless trash bin holder with 25 L trash bin	495.54	495.37
	Supplement for 2 wheels Ø 125 mm with brakes	495	.68

ACCESSORIES

	for 1 tray 1/1	495.55
Stainless steel holder for Gastronorm tray	for 3 trays 1/3	495.56
,	for 4 trays 1/4	495.57
Stainless steel side ladder for 2 tray holders)		495.58
N	530 x 325 mm	495.46
Sastronorm tray	265 x 325 mm	495.47
la atra na rma tra v	H 150 mm	495.66
astronorm tray	H 100 mm	495.67
	1/1	495.85
astronorm tray vith lid	1/3	495.86
	1/4	495.87



Stainless steel service carts

- Solid and hygienic construction entirely argon welded, without hardware - 18/10 stainless steel quality (AiSi 304).
- Stainless steel to frame with 2 side push handles.
- Reinforced and soundproofed stainless steel sheet trays -Equipped with a stainless steel stretched gallery on three sides on the lower tray(s).
- Compact resin trays, class M1 6 mm thick, white colour -Equipped with a stainless steel stretched gallery on three sides on the lower tray(s).
- Swivel wheels Ø 100 mm or Ø 125 mm equipped with bumper rollers.







STAINLESS STEEL SERVICE CART

TRAYS	WHEELS	DIM. L X D X H	REF.
	Ø 100 mm	600 x 400 x 970 mm	403.47
Otrovo	Ø 100 mm	700 x 500 x 970 mm	403.51
2 trays	Ø 125 mm	800 x 600 x 990 mm	403.53
	Ø 125 MIN	1000 x 600 x 990 mm	403.55
	Ø 100 mm	600 x 400 x 970 mm	403.49
3 trays	Ø 100 mm	700 x 500 x 970 mm	403.63
	Ø 125 mm	800 x 600 x 990 mm	403.65
	Ø 125 mm	1000 x 600 x 990 mm	403.67



STAINLESS STEEL SERVICE CART WITH RESIN TRAY

TRAYS	WHEELS	DIM. L X D X H	REF.
		600 x 400 x 970 mm	408.48
O trovo	Ø 100 mm	700 x 500 x 970 mm	408.83
2 trays	Ø 125 mm	800 x 600 x 990 mm	408.84
	Ø 12311III	1000 x 600 x 990 mm	408.85
	Ø 100 mm	600 x 400 x 970 mm	408.50
2 trava	Ø 100 mm	700 x 500 x 970 mm	408.86
3 trays	Ø 125 mm	800 x 600 x 990 mm	408.87
	ווווונצו ע	1000 x 600 x 990 mm	408.88



Stainless steel service carts







→ EPOXY SERVICE CARTS WITH RESIN TRAYS

WHEELS	DIM. L X D X H	REF.
Ø 100 mm	600 x 400 x 970 mm	408.07
Ø 100 mm	700 x 500 x 970 mm	408.08
Ø 10F mans	800 x 600 x 990 mm	408.09
Ø 125 mm	1000 x 600 x 990 mm	408.11
Ø 100 mm	600 x 400 x 970 mm	408.20
	700 x 500 x 970 mm	408.21
Ø 125 mm	800 x 600 x 990 mm	408.22
ווווו כבו ע	1000 x 600 x 990 mm	408.24
	Ø 100 mm 	Ø 100 mm

Stainless steel service carts - all purpose

- Robust construction designed for heavy loads. Entirely argon welded - 18/10 stainless steel quality (AiSi 304).
- Stainless steel square tube frame 30 x 30 mm - Stainless steel built-in side push handles Ø 25 mm.
- Stainless steel sheet trays with 15/10 thickness with turned down edges on the front and raised edges on the 3 sides.
- Swivel wheels Ø 125 mm equipped with bumper rollers.



STAINLESS STEEL SERVICE CARTS - ALL PURPOSE

TRAYS	DIM. L X D X H	REF.
2 trovo	800 x 600 x 1010 mm	402.52
2 trays	1000 x 600 x 1010 mm	402.54
2 trava	800 x 600 x 1010 mm	402.53
3 trays	1000 x 600 x 1010 mm	402.55



Screens

- Vinyl fabric panel M1, white colour.
- · Aluminium tube frame.
- Swivel wheels Ø 50 mm.





→ FOLDABLE SCREENS ON WHEELS

Λ	MODEL	LENGTH	DIM. L X H	REF.
3	panels	590 mm > 1650 mm	420 x 1680 mm	314.00
4	panels	610 mm > 2220 mm	420 x 1680 mm	314.01

- Pivoting curtain holder Nylon plate with hardware included.
- Perfectly smooth telescopic tubes made of anodised aluminium.
- Curtain made of Trevira® CS fabric, antibacterial, class M1 equipped with nylon rings.







TELESCOPIC SCREENS

MODEL	LENGTH	H 1800 MM	H1400 MM
	850 mm > 2100 mm	314.10	314.11
Pivoting telescopic arm	650 mm > 1600 mm	314.12	314.13
	550 mm > 1300 mm	314.14	314.15
	1000 mm > 2100 mm	314.20	314.21
Pivoting and foldable telescopic arm	800 mm > 1600 mm	314.22	314.23
	700 mm > 1300 mm	314.24	314.25

OPTIONS	MATERIAL	REF.
Mobile support for telescopic screen (compatible only with screens H1400 mm)	Stainless steel	314.30

Screens

- Articulated frame made of anodised aluminium with patented anti-pinch system.
- Very easy to fall and unfold thanks to the very flexible articulations and double-roller swivel wheels - Grasping orifice built into the first panel.
- Solid panels entirely opaque to light, soundproofing and coated with a declaration as stratified choice of colours) - Fire classification M2.





Don't forget to equip your screens with mobile or fixed supports available as options.





MOBILE SCREENS WITH RIGID PANELS WITH CENTRAL LEG

PANELS	DIM. L X H	REF.
3 rigid panels	1500 x 1550 mm	315.25
4 rigid panels	2000 x 1550 mm	315.26
5 rigid panels	2500 x 1550 mm	315.27

SCREENS WITH RIGID PANELS FOR MOBILE OR FIXED SUPPORTS

PANELS	DIM. L X H	REF.
	900 x 1450 mm	315.01
3 rigid panels	900 x 1650 mm	315.05
	900 x 1850 mm	315.09
	1500 x 1450 mm	315.02
5 rigid panels	1500 x 1650 mm	315.06
	1500 x 1850 mm	315.10
7 rigid papala	2100 x 1450 mm	315.03
7 rigid panels	2100 x 1650 mm	315.07
9 rigid panels	2700 x 1450 mm	315.04

9 rigid panels	2700 x 1450 mm	315.04
OPTIONS		REF.
	Fixed support on a large plate placed on the floor	395.20
	Mobile support on wheels	395.21
Support for screens with rigid panels	Telescopic support for fastening between the floor and ceiling	395.22
	Wall support with spacer	395.23
	Wall support with spacer, depth adjustable	395.24
Wide clamp for a fastening point of the screen onto a rail		395.26
Support clamp for several fastening points of the screen onto a rail		
Long clamp for fasteni	ng the screen on a rail with offset	395.28



Weighing chair

- Mobile weighing chair with optimised ergonomics for safe and practical weighing -Designed to measure obesity up to 250 kg - Medical approval according to directive 93/42/EEC.
- Comfortable ergonomic seat
 Arm rests and foot rests can be raised - Ergonomic guide handles.
- Large backlit LCD screen at the rear of the chair - Hold and BMI functions - Operates with an ordinary off-the-shelf battery (6 x 1.5 V AA).
- Swivel wheels 2 with brakes at the rear.





WEIGHING CHAIR



CAPACITY 250 kg **READING**0.1 kg

REF. 318.65



Stainless steel steps

- Stainless steel tube frame
- Non-slip stainless steel steps -Pitch of 200 mm.
- Phlebology model (2 steps and 1 ramp) with removable side ramp that can be adapted on the leg (on the right or on the left) and is height adjustable.





STAINLESS S

STAINLES	S STFFI	FOOTB	OARD

MODEL	DIM. D X H	REF.
1 step	356 x 270 mm	316.04
2 steps	422 x 470 mm	316.05
3 steps	627 x 670 mm	306.54
2 steps and 1 ramp	500 x 1150 > 1500 mm	306.53

Accessories

4.1 Drawers 600 x 400 p. 96

Drawers 600 x 400 Separation kits for drawers 600 x 400 Subdivision trays 600 x 400 Secure drawers 600 x 400

4.2 Baskets 600 x 400 p. 97

Baskets 600 x 400 - Perforated and Solid Separators for lip trays 600 x 400

4.3 Trays 600 x 400 p. 98

Tray 600 x 400 Equipped trays 600 x 400 Nominative trays with handle and label holder Shelves 600 x 400

4.4 Pill dispensers and accessories p. 99

4.5 Drawers COMPACT and equipment

> Drawers COMPACT Trays COMPACT Separations for drawers COMPACT Separation kits for drawers COMPACT

4.6 Secure accessories 600 x 400

> Secure telescopic drawers 600 x 400 Cassette units Toxic drugs cabinet

4.7 Label holders and accessories

> Label holders for handles Adhesive and snap-on label holders Set of labels/printable labels Label supports for label holders





p. 101

p. 102



Drawers 600 x 400

DRAWERS 600 x 400



Drawers 600 x 400

MODEL	DIM. L X D X H	INT. DIM. L X H	REF.
1 level	600 x 400 x 73 mm	560 x 63 mm	1600.30
2 levels	600 x 400 x 149 mm	560 x 139 mm	1600.31
3 levels	600 x 400 x 226 mm	560 x 216 mm	1600.32

SEPARATION KITS FOR DRAWERS 600 x 400







MODEL	2 COMPARTMENTS	3 COMPARTMENTS	4 COMPARTMENTS	6 COMPARTMENTS	8 COMPARTMENTS	12 COMPARTMENTS	18 COMPARTMENTS	24 COMPARTMENTS
For 1-level drawer	1600.70	1600.71	1600.72	1600.73	1600.74	1600.75	1600.76	1600.77
For 2-level drawer	1600.80	1600.81	1600.82	1600.83	1600.84	1600.85	1600.86	1600.87
For 3-level drawer	1600.90	1600.91	1600.92	1600.93	1600.94	1600.95	1600.96	1600.97


SUBDIVISION TRAYS 600 x 400

L 1/4

L 1/3



Subdivision bins for drawers



130 x 345 x 130 mm

178 x 345 x 130 mm

lengthwise



Separators for subdivision bins

HEIGHT	MODEL	DIM. L X D X H	REF.
	L 1/6	90 x 345 x 55 mm	1100.89
1 level	L 1/4	130 x 345 x 55 mm	1100.91
rievei	L 1/3	178 x 345 x 55 mm	1103.93
		lengthwise	1100.95
	L 1/6	90 x 345 x 130 mm	1100.90
2 levels	L 1/4	130 x 345 x 130 mm	1100.92
z ieveis	L 1/3	178 x 345 x 130 mm	1103.94
		lengthwise	1100.96

SECURE DRAWERS 600 x 400



1600.34 • 1600.35 • 1600.35 • 1600.35 • 1600.35

1100.87

1103.91

1100.94


Telescopic toxic drawers 600 x 400 with key lock

	MODEL	DIM. L X D X H	REF.
•	1 level	600 x 400 x 73 mm	1600.33
•	2 levels	600 x 400 x 149 mm	1600.34
•	3 levels	600 x 400 x 226 mm	1600.35
	Master key for key loo	ck	1101.87

Baskets 600 x 400



SEPARATORS FOR BASKETS 600 x 400



Separators 600 x 400 - Transparent

MODEL	DIRECTION	DIM. L X D X H	REF.
1 level –	Width	600 x 50 mm	1103.08
i level –	Depth	400 x 50 mm	1103.07
2 levels -	Width	600 x 100 mm	1103.10
Z levels —	Depth	400 x 100 mm	1103.09
3 levels -	Width	600 x 200 mm	1103.12
o leveis –	Depth	400 x 200 mm	1103.11

Separators 600 x 400 - Grey ABS

MODEL	DIRECTION	DIM. L X D X H	REF.
	Width	600 x 50 mm	1102.33
1 level	Depth	400 x 50 mm	1102.34
2 levels	Width	600 x 100 mm	1102.35
	Depth	400 x 100 mm	1102.36
3 levels	Width	600 x 200 mm	1102.37
	Depth	400 x 200 mm	1102.38



Trays 600 x 400

EQUIPPED 600 x 400 TRAYS

TRAY 600 x 400







Tray 600 x 400*

For nominative trays with handle and subdivision bins Dim.: 600 x 400 mm


Ref. 1100.26

* Tray compatible only with 600 x 400

Trays 600 x 400 equipped with nominative patient bins

	-		
	HEIGHT	MODEL	REF.
		6 nominative patient bins 1/6 with separators	1100.26 OP3
	1 level	4 nominative patient bins 1/4 with separators	1100.26 OP4
2 levels		3 nominative patient bins 1/3 with separators	1100.26 OP5
		6 nominative patient bins 1/6 with separators	1100.26 OP6
	2 levels	4 nominative patient bins with separators	1100.26 OP7
		3 nominative patient bins 1/3 with separators	1100.26 OP8

NOMINATIVE PATIENT BINS WITH HANDLE AND LABEL HOLDER







HEIGHT	MODEL	DIM. L X D X H	REF.
	L 1/6	90 x 385 x 60 mm	1100.82
1 level	L 1/4	130 x 385 x 60 mm	1100.86
	L 1/3	178 x 385 x 60 mm	1103.90
	L 1/6	90 x 385 x 136 mm	1100.84
2 levels	L 1/4	130 x 385 x 136 mm	1100.88
	L 1/3	178 x 385 x 136 mm	1103.92

Separators for nominative patient bins

HEIGHT	MODEL	DIM. L X H	REF.
1 level	L 1/6		1100.89
	L 1/4	345 x 55 mm	1100.91
	L 1/3		1103.93
	L 1/6		1100.90
	L 1/4	345 x 130 mm	1100.92
	L 1/3	_	1103.94

SHELVES 600 X 400





Resin shelf 600 x 400

Ref. 1100.58



Only for front 600 Turned down edge (front) / Raised edge (rear)

Ref. 1700.39



Pill dispensers and accessories



Equipped tray COMPACT and 600 x 400

MODEL	EQUIPPED WITH	DIM. PILL DISPENSER	REF.
	7 pill dispensers 1/10	53 x 275 x 43 mm	1500.41
Trovo	6 pill dispensers 1/8	67 x 376 x 42 mm	1500.44
Trays COMPACT	5 pill dispensers 1/7	78 x 380 x 55 mm	1500.45
	Push tray for opening pill dispensers for equipped tray COMPACT - Ref. 1500.41		1500.42
	Dill dieneneare 1/0	67 x 376 x 42 mm	1103.37
Trovo	Pill dispensers 1/8	67 x 376 x 66 mm	1103.38
Trays 600 x 400	Pill dispensers 1/10 and cup holder	53 x 275 x 43 mm	1103.39
	Pill dispensers 1/7	78 x 380 x 55 mm	1103.41



Horizontal trays

MODEL	REF.
Lengthwise alignment tray for tray equipped with pill dispensers 1/10	1102.67
Horizontal bins for tray equipped with pill dispensers 1/5	1102.68



MODEL	REF.
Set of 24 transparent label holders for pill dispensers 1/8	1103.35
Sheet of 28 adhesive pre-cut labels for pill dispenser 1/8	1103.36



Cups

MODEL	REF.
30 ml - H 42 mm with lid	1100.55
30 ml - H 32 mm with lid	1103.49
160 ml	1101.53
Lid for cup 160 ml	1101.54



Cup holders

MODEL	REF.
Holder for 10 cups 30 ml lengthwise for tray equipped with pill dispenses 1/10	1102.66
Holder for 8 cups 30 ml	1100.56
Holder for 10 cups 160 ml	1101.52
Holder for 35 cups 30 ml	1500.30





Drawers COMPACT and equipment









MODEL	DIM. L X D X H	REF.
1 level	400 x 300 x 50 mm	1500.50
2 levels	400 x 300 x 110 mm	1500.51
3 levels	400 x 300 x 170 mm	1500.52



HEIGHT	MODEL	REF.
1 level	Width direction	1500.53
i level	Depth direction	1500.54
2 levels	Width direction	1500.55
2 levels	Depth direction	1500.56
2 -	Width direction	1500.57
3 levels	Depth direction	1500.58



Trays COMPACT

MODEL	DIM. L X D	REF.
ABS	400 000	1500.40
Epoxy aluminium	400 x 300 mm	1500.43





Separation kits for drawers COMPACT

ŀ	HEIGHT	MODEL	STANDARD	TELESCOPIC
-	l level	6 compartments		1501.44
	i level	20 compartments	1500.59	1501.37
		6 compartments	1500.63	1501.38
2	2 levels	8 compartments	1500.64	1501.39
		20 compartments	1500.60	1501.40
		6 compartments	1500.68	1501.41
3	3 levels	8 compartments	1500.69	1501.42
		12 compartments	1500.61	1501.43

Secure accessories 600 x 400

SECURE DRAWERS 600 x 400



Telescopic toxic drawers 600 x 400 with key lock

MODEL	DIM. L X D X H	REF.
1 level	568 x 424 x 72 mm	1700.36
2 levels	568 x 424 x 148 mm	1700.37
Supplement for electronic code lock + key for telescopic toxic drawer		1700.38
Master key for electronic code lock + key		1501.10

^{*} Compatible with carts, trolleys and cabinets with rolling shutter Eolis $^{\circ}$ 600 x 400

CASSETTE UNITS



TOXIC DRUGS CABINET



Ref. 1101.84





Label holders and accessories

1103.4	F7	For handles of di	rawers and nominative	trays	
		MODEL	DIM. L X	Н	REF.
	1103.48	1/6	L 58 mm		1103.46
		1/4	L 100 mm	1	1103.47
		1/3	L 146 mm	1	1103.48
1101.10	\Rightarrow	Set of 25 lal	oels for handles		
1101.10	•	L 1/6			1101.10
	-	L 1/4			1101.11
700190 10 Service 1000000 Service 1000004	\Rightarrow	Adhesive la	bel holders		
amoire 1000 subdivision 012 / 001		LENGTH	DIM. L X	Н	REF.
1000012001	•	60 mm	60 x 40 m	m	1101.45
	•	75 mm	75 x 32 m	m	1106.05
MINNIMA		350 mm	350 x 40 r	nm	1101.46
1106.05		1200 mm	1200 x 30	mm	1200.69
1102.69		Snap-on lab	el holders	PER UN	IIT SET OF 50
	6.06	Vertical		1102.6	9 1106.18
		Horizontal		1106.0	6 1106.17
		Horizontal protection	on	1106.0	7
	\Rightarrow	White label	support for label	holder	
		For adhesive and	I snap-on label holders		
		L 60 x h 40 mm			1102.74
		Set of 50 lables			1106.19
	\Rightarrow	Sheet of 21	printable labels	60 x 40 mm	
110	6.08	For adhesive and	l snap-on label holders.	Choice of colour	S.
	•	L 60 x h 40 mm			1106.08
	REF.	Drawers	Subdivision trays		Nominative trays
	1103.46	600 x 400	and separators	600 x 400	and separators
_abel holders for handles	1103.47				
	1103.48				
	1101.45		*		*
			*		*
∆dhasiya lahal haldars	1106.05				
Adhesive label holders	1106.05 1101.46				
Adhesive label holders					

^{*} Separators only

Index

DESIGNATION	PAGE
Secure accessories 600 x 400 and accessories	p. 101
Eolis® 600 x 400 laundry cabinets	p. 87
Eolis®-D 400 cabinets with drawers	p. 48
Eolis®-D 400 cabinets with rolling shutter	p. 49
Eolis®-D 600 cabinets	p. 47
Lip trays 600 x 400 and accessories	p. 97
Bassinets with fixed and adjustable height	p. 74
Eolis® drawer blocks	p. 45
Eolis® medication cart 600 x 400	p. 14
Eolis® medication cart COMPACT	p. 15
Eolis® plaster cart 600 x 400	p. 18
Treatment cart 600 x 400	p. 12
Treatment cart COMPACT	p. 13
Eolis® isolation cart 600 x 400	p. 33
Eolis® emergency cart 600 x 400	p. 16
Eolis® emergency cart COMPACT	p. 17
Roll Cart and Transport containers	p. 79
Carts with compartments and wardrobe	p. 82
Carts with files - opening on the front	p. 71
Carts with files - opening at the top	p. 70
Eolis® carts with files COMPACT	p. 68
Carts with wire shelves	p. 83
Baby changing carts	p. 75
Eolis® laundry cart COMPACT	p. 86
Composite laundry carts with levels	p. 88
Nursing carts	p. 84
Opti-Soins® laundry collection carts	p. 77
Stainless steel service carts	p. 90
Eolis® circulation Carts and Trolleys	p. 60
Computer carts	p. 64
Composite breakfast carts	p. 89
Opti-Tri® laundry bag holder carts	p. 80
Paediatric examination couch	p. 75

Weighing chair/stainless steel footboards	p. 94
Eolis® treatment trolleys 600 x 400	p. 22
Eolis® treatment trolleys COMPACT	p. 23
Stainless steel trolleys	p. 28
Stainless steel trolleys with resin trays	p. 30
Fixed height playpen beds	p. 72
Height-adjustable playpen beds	p. 73
Screens	p. 92
Pill dispensers and accessories	p. 99
Eolis® wall cabinets/Wall rails	p. 46
Eolis® mobile workstations	p. 42
Suspended workstations	p. 43
Tray 600 x 400 and accessories	p. 98
IV holder and IV poles	p. 34
Label holders and accessories	p. 102
Eolis® mobile workstations	p. 44
Stainless steel pedal trash bins	p. 39
Eolis®-D400 shelving	p. 52
Eolis®-D600 shelving	p. 56
Wire shelving	p. 61
Mobile Treatment Trolley - Caregiver	p. 78
Mobile Treatment Trolleys (SMS®)	p. 31
Hermé-Tri® holders with hermetic seal	p. 40
Évolu-Tri® holders on the floor and walls	p. 39
Évolu-Tri® mobile holders	p. 36
Évolu-Tri® holders for treatment carts	p. 38
Height-adjustable stools	p. 62
Trays 600 x 400 and accessories	p. 96
Drawers COMPACT and equipment	p. 100
Measuring rods and baby scale	p. 75
PPE Dispensing Units (UDEPI®)	p. 33
Mobile Precaution Trolley (UMP®)	p. 32

Villard takes care of your patients





What exactly is Villard's QHSE approach?

This approach is the fruit of our expertise in the management of "turnkey" outfitting projects within health establishments and of our know-how as a sustainable and responsible French designer and manufacturer.

Every day, we monitor the identification and compliance with standards and requirements in terms of quality, hygiene and safety, with special attention given to the working environment of the caregivers, the equipment and respect for the environment. In the field, this is applied by:



The risk analysis aimed at identifying and listing the various hazards associated with your environment.



A complete and free diagnosis of all the logistics circuits in your establishment.



Recommendations and advice that is adapted and compliant with quality and hygiene standards.



Personalised support through to commissioning and training on our products for users.

A few of our achievements:



operating theatre and the sterile orthopaedic arsenal

of the Ambroise-Paré Hospital.



Refurbishment and reorganisation of the stocks

of the PUI (internal use pharmacy) of the Yves Le Foll Hospital Centre in St-Brieuc.



Equipment for ICU

for the new Hautepierre 2 Hospital (University Hospitals of Strasbourg).



Mobile and modular furniture in the treatment rooms

after the extension of the St-Riquier EHPAD.



Operating theatre of the new ophthalmology centre

of the AP-HP, OphtalmoPôle, installed at the heart of the Cochin Hospital.



Outfitting of storage zones

in the treatment rooms of the new establishment of the La Marteraye SSR (secondary treatment) Centre.



Equipment for the management of laundry in the units

for the extension of the St-Jean Hospital at Briare-le-Canal.



Objectives:

Controlling the risk of infection Initiation in good practices Ensuring safety Making savings



Have a project? Need advice?

Villard offers you personalised and free study using our QHSE approach.

+33 (0)285 290 500























Have a project? Need advice?

Contact our team for a personalised study.

+33 (0)285 290 506





A global offer serving healthcare institutions







- Sterilization
 Operating theatre
 Intensive Care Units (ICU)
 - Treatment furniture & Care Units equipment
- Hospital hygiene

- Hospital logistics & pharmacy
- Linen & Waste management
- Hospital hygiene & Infection control

Examination

equipment

& Consultation